

Epson L3200 CIS

DATASHEET / BROCHURE



EcoTank Home L3200

Best for families and students who need reliable, low-cost printing, scanning and copying at home.

Say goodbye to expensive cartridges.

EcoTank provides hassle-free low-cost home printing - the ultra-high capacity ink tanks allow mess-free refills and the key-lock bottles are designed so only the correct colour can be inserted.

Keep on saving.

With up to 3 years' worth of ink included in the box**, this EcoTank printer offers substantial print cost savings. The replacement set of ink bottles delivers up to 4,500 pages in black and 7,500 in colour***.

Packed with features.

Featuring print-scan-copy functionality, borderless photo printing (up to 10x15cm), you can speed through a variety of tasks with ease.

Heat-Free Technology.

With Epson Micro Piezo Heat-Free Technology you can enjoy fast and high-quality printing. The reliable and long lasting printhead also comes pre-installed so setting up your printer is hassle-free.

KEY FEATURES

- **Multifunction printer**

Print, copy & scan

- **Ultra-low-cost printing**

The replacement set of ink bottles deliver 4,500 pages in black and 7,500 in colour***

- **Hassle-free ink tank system**

Enjoy mess-free refills with key-lock bottles and front-facing tanks

- **Epson Smart Panel app**

Set up, monitor, print and scan from your smart device with the Epson Smart Panel app

EPSON®

PRODUCT SPECIFICATIONS

TECHNOLOGY

Printing Method	Epson Micro Piezo™ print head
Minimum Droplet Size	3 pl, With Variable-Sized Droplet Technology
Ink Technology	Dye Ink
Printing Resolution	5760 x 1440 DPI

PRINT

Printing Speed ISO/IEC 24734	9.2 Pages/min Monochrome, 4.5 Pages/min Colour
------------------------------	--

For detailed information on printing speeds please visit <http://www.epson.eu/testing>.

SCAN

Scanner Type	Contact image sensor (CIS)
--------------	----------------------------

PAPER / MEDIA HANDLING

Paper Formats	DL (Envelope)
Duplex	Manual
Print Margin	0 mm top, 0 mm right, 0 mm bottom, 0 mm left (Wherever margin is defined. Otherwise 3mm Top, Right, Bottom, Left.)
Media Handling	Borderless Print (up to 10 x 15cm)

GENERAL

Product dimensions	375 mm x 347 mm x 179 mm (Width x Depth x Height)
Noise Level	6.5 B (A) with Epson Premium Glossy Photo Paper / Photo RPM mode - 52 dB (A) with Epson Premium Glossy Photo Paper / Photo RPM mode
Compatible Operating Systems	Windows Server 2003 SP2 or later
Included Software	Epson Scan

OTHER FEATURES

OTHER

LOGISTICS INFORMATION

SKU	C11CJ69401
EAN Code	8715946684352
Country Of Origin	Philippines

Epson L3200 CIS

WHAT'S IN THE BOX

- Setup guide
- Power cable
- Main unit
- Warranty document
- Driver and utilities (CD)
- 4 x 65ml individual ink bottles (Bk, C,Y,M)

INK COMPATIBILITY

- 103 EcoTank 4-colour Multipack
- 103 EcoTank Black ink bottle
- 103 EcoTank Cyan ink bottle
- 103 EcoTank Magenta ink bottle
- 103 EcoTank Yellow ink bottle

INK YIELD DATA

Included	* 3,600 Pages	* 6,500 Pages
----------	---------------	---------------

Replacement

1. Determined in accordance with ISO/IEC 24734 showing the average of ESAT from the Office Category Test for default simplex. For more information visit the Epson website.2. Up to 3 years of ink is based on average monthly print volumes of 70 pages for EcoTank home and office printers and 40 photos for EcoTank photo printers. Calculations are based on the lowest included black ink bottle page yield for home and office printers and on the lowest included photo page yield for photo printers.3. Quoted yields are extrapolated based on Epson original methodology from the print simulation of Test Patterns provided in ISO/IEC 24712. Quoted yields are NOT based on ISO/IEC 24711. Quoted yields may vary depending on the images that you are printing, the paper type that you are using, the frequency of your prints and environmental conditions such as temperature. During the initial printer setup, a certain amount of ink is used to fill the print head's nozzles, therefore the yield of the initial bundled set can be lower.

EPSON®