EH-QS100B

DATASHEET / BROCHURE



EH-QS100B

Ідеально для універсальних житлових просторів. 4K PRO-UHD суперкороткофокусний лазерний проєктор з 4500 люменів для насичених зображень до 160 дюймів.

KEY FEATURES

- **Esnek, kompakt yansıtma**

  Забезпечуючи зображення до 160”, навіть розміщений близько до поверхні проєціювання, EH-QS100B ідеальний для всіх просторів — малих чи великих.

- **Net, gerçekçi 4K PRO-UHD detay**

  Відчуйте чітку, реалістичну деталізацію з 4K PRO-UHD — ідеально для домашніх розваг, фільмів і спорту.

- **20.000 saate kadar dayanıklı lazer kaynak**

  Надяскраве й довговічне лазерне джерело світла EH-QS100B забезпечує до 20 000 годин використання, гарантуючи тривалу продуктивність із насиченими, стабільними кольорами.

- **Aydınlık odalarda yüksek parlaklık**

  З яскравістю 4500 люменів EH-QS100B забезпечує чіткі, насичені зображення навіть у яскравих кімнатах, що робить його ідеальним для денного перегляду й добре освітлених просторів.

- **Підтримка HDR10**

  Завдяки підтримці HDR10, що покращує контрастність і колір, EH-QS100B забезпечує глибокі відтінки чорного та яскраві відтінки для захопливого перегляду.

PRODUCT SPECIFICATIONS

EH-QS100B

TECHNOLOGY	
Projection System	RGB liquid crystal shutter 3LCD Technology
LCD Panel	0.62 inches with C2 Fine
IMAGE	
Resolution	4K PRO-UHD
High Definition	4K enhancement
Contrast Ratio	5,000,000
Light Source	Laser
Laser Light source	20000 hr Durability High, 20000 hr Durability Eco
Colour Video Processing	10 Bits Color
Colour Reproduction	Upto 1.07 billion colours
OPTICAL	
Throw Ratio	0.16 - 0.22:1
Zoom	Digital, Factor: 1 - 1.35
Lens	Optical
Screen Size	60 in - 160 in
Projection Lens Focus	Manual
Offset	7 : 1
CONNECTIVITY	
Interfaces	HDMI in (2 x), USB 2.-A (2 x), USB 2. Type B (Service Only) (1 x), HDMI ARC (1 x), Ethernet interface (1 Base-TX / 1 Base-T) (1 x)
Network Protocol	ESC/VP.net, PJLink, IPv6
ADVANCED FEATURES	
Security	Kensington lock
Other Features	4K enhancement, Auto Power On, Auto source search, CEC compatible, Digital zoom, Frame interpolation, ISF certification, Long light source life, Quick Corner
Projector Control	Crestron Integrated Partner, Crestron, AMX Device Discovery, Control4 Simple Device Discovery Protocol

EPSON®

PRODUCT SPECIFICATIONS

GENERAL	
Product dimensions	695 mm x 341 mm x 156 mm (Width x Depth x Height)
Heat Dissipation	1,132.2 BTUperhour
Supply Voltage	AC 220 V - 240 V, 50 Hz - 60 Hz
Included Software	Epson Projector Content Manager, Epson Setting Assistant
Supported Temperature	Storage -10 °C - 60 °C
Supported Humidity	Operation 20 % - 80 %, Storage 10 % - 90 %
Room Type / Application	4K Streaming, Home Cinema, Sports, TV & Box sets
Positioning	Table Mounted, Wall Mounted, TV Cabinet
Colour	Black

OTHER

EH-QS100B

WHAT'S IN THE BOX

- Power cable
- Remote control incl. batteries
- User guide
- Warranty card

OPTIONAL ACCESSORIES

- Air Filter - ELPAF64 - EH-LS800
  V13H134AE0
- Ceiling Mount - ELPMB22 - White
  V12H003B22
- Ceiling Mount - ELPMB30 - Low profile
  V12H526040
- Ceiling pipe - ELPFP13 - 668-918mm
  V12H003P13
- Ceiling pipe - ELPFP14 - 918-1168mm
  V12H003P14
- Laser TV 100" ALR Screen - ELPSC35
  V12H002AD0
- Laser TV 120" ALR Screen - ELPSC36
  V12H002AG0
- Safety Wire - ELPWR01
  V12H003W01
- Wall Mount - ELPMB75 - EB-810E
  V12HB12010

EPSON®