

EB-L30000U




EB-L30000U

Компактний 3LCD-проектор на 30 000 люменів для складних умов, де вимагаються найвищі рівні яскравості.

{bНайяскравіші проєкції}Завдяки 30 000 люменів це найяскравіший проєктор Epson Pro AV. З ним користувачі можуть створювати вражаючі проєкції з повним зануренням в атмосферу.{bКомпактний дизайн}Цей компактний проєктор займає мало місця, і його легко транспортувати, встановлювати й зберігати. {bОб'єктиви для формату 4K}Epson пропонує низку об'єктивів для створення чіткого, насиченого зображення навіть на відстані. У цьому інсталяційному проєкторі також використовується технологія покращення 4K (4K Enhancement Technology) від Epson, яка зсуває пікселі для подвоєння роздільної здатності та є економічно вигідним рішенням для відтворення матеріалів у форматі 4K. Проектор EB-L30000U постачається без об'єктива, і користувачі можуть самостійно вибрати потрібні об'єктиви для певних умов. Усі об'єктиви від EB-L25000U сумісні з EB-L30000U. {bМеханічний затвор}Механічний затвор особливо корисний у театрах, оскільки дозволяє створити ефект завіси. За допомогою перемикача можна вмиє перервати світловий потік, а потім повернути його. Ця можливість особливо важлива для заходів, де використовується лазерне світло, оскільки дозволяє захистити об'єктив від пошкодження лазером.

DATASHEET / BROCHURE



KEY FEATURES

- **Найяскравіший проєктор Epson**
Завдяки 30 000 люменів це найяскравіший проєктор Epson Pro AV.
- **Компактний дизайн**
Легко транспортувати, встановлювати й зберігати.
- **Можливість вибору об'єктивів**
Користувачі можуть вибирати потрібні об'єктиви для кожного проєкту.
- **Технологія покращення 4K**
Технологія покращення 4K від Epson забезпечує насичене, чітке зображення.
- **Підвищений захист**
Механічний затвор захищає об'єктив від пошкодження лазером.

PRODUCT SPECIFICATIONS

EB-L30000U

TECHNOLOGY

Projection System	3LCD Technology RGB liquid crystal shutter
LCD Panel	1.43 inches with C2 Fine

IMAGE

Color Light Output	30000 Lumens - 20000 Lumens (economy)
White Light Output	30000 Lumens - 20000 Lumens (economy)
Resolution	WUXGA
High Definition	4K enhancement
Contrast Ratio	2,500,000
Light Source	Laser
Laser Light source	20000 hr Durability High, 30000 hr Durability Eco
Keystone Correction	Manual vertical: 30, Manual horizontal: 45
Colour Video Processing	10 Bits Color
Colour Reproduction	Upto 1.07 billion colours

OPTICAL

Lens	Optical
Screen Size	100 in - 1000 in
Projection Lens Focus	Motorized

CONNECTIVITY

Interfaces	HDMI (HDCP 2.2) (1 x), HD-SDI (1 x), DVI in (1 x), BNC in (1 x), Remote (1 x), HDBaseT (1 x), VGA in (1 x), USB 1.-A (1 x), USB 2. Type B (Service Only) (1 x), Wireless LAN IEEE 802.11b/g/n (Optional), VGA out (1 x), Ethernet interface (1 Base-TX / 1 Base-T) (1 x)
Epson iProjection App	Ad-Hoc / Infrastructure

ADVANCED FEATURES

Security	Security bar, Control panel lock, Password lock, Wireless LAN security, Password protection
Other Features	4K enhancement, Absolute Black, Auto Calibration, Frame interpolation, Long light source life, Super resolution, Edge Blending, Lens position memory, OSD copy function, Power on button, Quick Corner, Schedule Function, Split-Screen-Function, Web Control, Web Remote, iProjection App, Point correction
Video Colour Modes	Cinema, Dynamic, Presentation, DICOM SIM, Multi Projection, BT79, Natural
Projector Control	AMX, Crestron, Extron XTP

PRODUCT SPECIFICATIONS

GENERAL

Product dimensions	790 mm x 710 mm x 299 mm (Width x Depth x Height)
Heat Dissipation	7,905 BTUperhour
Supply Voltage	AC 200 V - 240 V, 50 Hz - 60 Hz
Included Software	EasyMP Monitor, EasyMP Multi PC Projection
Noise Level	Normal: 49 dB (A) - Economy: 41 dB (A)
Supported Temperature	Storage -10 °C - 60 °C
Supported Humidity	Operation 20 % - 80 %, Storage 10 % - 90 %
Options	Wireless LAN unit
Room Type / Application	Large Meeting Room / Auditorium, Rental / Staging, Projection Mapping, Visitor Attraction
Positioning	Ceiling Mounted, Flying Frame
Colour	Black

OTHER

EB-L30000U

WHAT'S IN THE BOX

- HDMI Cable Clamp
- Power cable
- Remote control incl. batteries

OPTIONAL ACCESSORIES

- Air Filter - ELPAF52 - EB-L25000U
V13H134A52
- Lens - ELPLL09 - Long Throw - EB-L30000U Series
V12H004L09
- Lens - ELPLL10 - Long Throw - EB-L30000U Series
V12H004L0A
- Lens - ELPLM12 - Mid Throw - EB-L30000U Series
V12H004M0C
- Lens - ELPLM13 - Mid Throw - EB-L30000U Series
V12H004M0D
- Lens - ELPLM14 - Mid Throw - EB-L30000U Series
V12H004M0E
- Lens - ELPLR05 - Rear Projection - EB-L30000U Series
V12H004R05
- Lens - ELPLU05 - Short Throw - EB-L30000U Series
V12H004U05
- Lens - ELPLW07 - Wide Throw - EB-L30000U Series
V12H004W07
- Lens - ELPLX03 - UST - EB-L30000U Series
V12H004X03