EB-800F



DATASHEET / BROCHURE

LASER

EB-800F

Ідеально для цифрових вивісок у роздрібній торгівлі та громадських місцях. Ультракороткофокусний лазерний проєктор Full HD з яскравістю 5000 люменів і обертанням на 360 градусів.

Передова лазерна технологія Epson міцна та надійна, забезпечуючи рішення цифрових вивісок «встановив і забув». Вона пропонує яскраві та насичені кольори в економічно ефективному рішенні, здатному до великих розмірів дисплея. EB-800F забезпечує масштабовані розміри дисплея до 130 дюймів у роздільній здатності Full HD з яскравістю 5000 люменів і технологією 3LCD для яскравих кольорів і високої якості відображення навіть у яскравих просторах. Це елегантне, стильне та яскраве рішення для відображення пропонує гнучкість для виконання найвимогливіших завдань і універсальність для роботи в обмежених просторах. Його можна змонтувати на стіні, стелі, підлозі або навіть приховати, щоб додати таємничості. Його ультракороткофокусний дизайн дає змогу проєктувати великі зображення з короткої відстані. Також доступний у чорному кольорі. Контент можна відтворювати безпосередньо з USB-накопичувача, зокрема: списки відтворення, відео та сигнальний контент за допомогою вбудованої функції відтворення контенту та програмного забезпечення Epson Projector Content Manager. Користувачі можуть скористатися підтримкою кількох проєкторів і ланцюгового з'єднання для вбудованого зрощення країв або освітлення цілої стіни одним великим зображенням. Крім того, функція розділеного екрана дає змогу користувачам підключати кілька вхідних джерел для одночасного відображення різних джерел контенту.

KEY FEATURES

- **Ультракороткофокусний сигнальний проєктор**

  Компактний, непомітний дизайн.

- **Дисплей до 130 дюймів**

  Роздільна здатність Full HD, яскравість 5000 люменів і технологія 3LCD

- **Надійність «встановив і забув»**

  Лазерний проєктор з мінімальним обслуговуванням і 5-річною гарантією

- **Просте встановлення**

  Обертання на 360 градусів з підтримкою портретного проєціювання

- **Легке відтворення**

  Відтворюйте контент безпосередньо з USB-накопичувача

EPSON

PRODUCT SPECIFICATIONS

EB-800F

TECHNOLOGY	
Projection System	3LCD Technology
LCD Panel	0.62 inches with C2 Fine
IMAGE	
Color Light Output	5000 Lumens - 3500 Lumens (economy)
White Light Output	5000 Lumens - 3500 Lumens (economy)
Resolution	18p
Contrast Ratio	5,000,000
Light Source	Laser
Laser Light source	20000 hr Durability High, 30000 hr Durability Eco
Keystone Correction	Manual vertical: 3, Manual horizontal: 3
Colour Video Processing	10 Bits Color
Colour Reproduction	Upto 1.07 billion colours
OPTICAL	
Throw Ratio	0.27 - 0.37:1
Zoom	Digital, Factor: 1 - 1.35
Lens	Optical
Screen Size	65 in - 130 in
Projection Distance Wide	0.4 m (65 inch screen)
Projection Distance Tele	0.8 m (130 inch screen)
Projection Lens F Number	1.5
Projection Lens Focal Length	3.9 mm
Projection Lens Focus	Manual
Offset	9 : 1
CONNECTIVITY	
Interfaces	VGA out (1 x), Jack plug out (1 x), Wireless LAN IEEE 82.11a/b/g/n/ac (Optional), Jack plug in (3 x), HDBaseT (1 x), Miracast (Optional), Powered USB (1 x), USB 2.-A (2 x), Ethernet interface (1 Base-TX / 1 Base-T) (1 x), RS-232C (1 x), Composite in (1 x), USB 2. (1 x), HDMI out (1 x), HDMI in (3 x), VGA in (2 x)
Epson iProjection App	Ad-Hoc / Infrastructure
Network Protocol	HTTPS, IPv6, SNMP, PJLink, ESC/VP.net
ADVANCED FEATURES	
Security	Kensington lock, Security cable hole, Password lock, Password protection, Padlock
Other Features	Arc Correction, Quick Corner, Auto Power On, Auto source search, Built-in speaker, Customizable user logo, Daisy chain Multi-Projection, Digital zoom, Edge Blending, Horizontal and vertical keystone correction, Long light source life, Split-Screen-Function, Ultra-wide display (16:6), Web Remote, Direct Power on/off, Document Camera Compatible, Driverless installation, Image Shift, OSD copy function, Network administration, Schedule Function, Web Control, Email notification, iProjection App, Home Screen, A/V mute, JPEG Viewer, Network projection, PC Free, Power on button
Video Colour Modes	Cinema, Dynamic, Presentation, sRGB, Blackboard, DICOM SIM, Multi Projection
Projector Control	Extron IP Link, Extron XTP, AMX Device Discovery, Control4 Simple Device Discovery Protocol, Crestron Integrated Partner, Crestron RoomView

EPSON®

PRODUCT SPECIFICATIONS

GENERAL	
Power consumption	293 W, 194 W (economy), 0.5 W (standby)
Product dimensions	458 mm x 375 mm x 209.5 mm (Width x Depth x Height)
Heat Dissipation	1,244 BTUperhour
Supply Voltage	AC 220 V - 240 V, 50 Hz - 60 Hz
Included Software	Epson Creative Projection, EasyMP Multi PC Projection, Epson Projector Management, Epson Projector Content Manager
Noise Level	Normal: 36 dB (A) - Economy: 27 dB (A)
Supported Temperature	Storage -10 °C - 60 °C
Supported Humidity	Operation 20 % - 80 %, Storage 10 % - 90 %
Options	Wireless LAN unit
Loudspeaker	8 W
Room Type / Application	Signage / Retail, Visitor Attraction
Positioning	Ceiling Mounted, Desktop, Wall Mounted
Colour	White

OTHER

WHAT'S IN THE BOX

- CD Manual
- Remote control incl. batteries
- Cable cover
- Power cable
- Warranty document
- Lens cap
- Projector feet

OPTIONAL ACCESSORIES

- Air Filter - ELPAF56 - L600/EB-14XX Series
  V13H134A56
- Control and Connection Box - ELPCB03
  V12H927040
- Control and Connection Box - ELPCB03 [240v]
- Control and Connection Box - ELPCB03N
  V12HB11040
- Wall Mount - ELPMB62 - EB-7xx / EB-8xx
  V12HA06A06
- External Speaker - ELPSP02
  V12H467040
- External Speaker - ELPSP02 - [240v]
- Wireless LAN Adapter - ELPAP11 (2.4GHz & 5GHz)
  V12H005A01

EPSON®