

Epson EB-770Fi

DATASHEET / BROCHURE



EB-770Fi

Проекуйте свої ідеї за допомогою великого інтерактивного дисплея Full HD з діагоналлю до 100 дюймів, який покращить залученість, навчання та продуктивність.

EB-770Fi — це крок уперед у порівнянні з EB-770F завдяки додатковим інтерактивним функціям. Інтерактивна технологія дозволяє одночасно використовувати на дисплеї дві цифрові ручки (керування пальцями доступне за наявності додаткового обладнання FT01). Презентації можна контролювати та оживляти за допомогою приміток на екрані, тоді як різноманітні зручні вбудовані інструменти підтримують продуктивність. За допомогою дисплея можна контролювати додаткову камеру Epson, проєктуючи документи або об'єкти, не встаючи з-за столу, щоб усе приміщення могло переглядати зображення з неймовірним рівнем деталізації. Завдяки лазерному джерелу світла з яскравістю 4100 люменів у поєднанні з технологією 3LCD система відтворює велике та яскраве зображення з діагоналлю до 100 дюймів, яке чітко видно під будь-яким кутом і на відстані. Універсальні варіанти дротового та бездротового підключення, включно з дублюванням екрана за допомогою Miracast™, дають змогу учасникам легко ділитися вмістом зі своїх ПК або мобільних пристроїв. Користування є захоплюючим і зручним. Ультракоткофокусний об'єктив безпечно й ненав'язливо розміщується над дисплеєм, що дає змогу доповідачам вільно взаємодіяти без створення тіней. На відміну від ПК-панелі, тут немає скла, яке може розбитися та створює деструктивні, відбивані сліпі плями під певними кутами. До того ж доповідачі не піддаються впливу прямого випромінювання синього світла.

KEY FEATURES

- **Інтерактивний FHD-дисплей для всіх приміщень**

УКФ дисплей із діагоналлю від 49 до 100 дюймів для необмеженого перегляду (без тіней/відблисків)

- **Яскраве й енергоефективне лазерне рішення**

Колірна яскравість 4100 лм із технологією 3LCD для яскравіших кольорів при потужності лише 205 Вт

- **Зручні варіанти підключення**

Дротовий/бездротовий дисплей з автоматичним увімкненням, із виходом USB 2 A для смарт-маніпуляторів

- **Просте використання та довговічність**

Практично не потребує технічного обслуговування з гарантією на 5 років або 12 000 годин

- **Сумісність із документ-камерою**

Створюйте та записуйте живі уроки або презентації з ефектом присутності

EPSON®

PRODUCT SPECIFICATIONS

Epson EB-770FI

TECHNOLOGY

Projection System	3LCD Technology RGB liquid crystal shutter
LCD Panel	0.62 inches with C2 Fine

IMAGE

Color Light Output	4100 Lumens - 2800 Lumens (economy)
White Light Output	4100 Lumens - 2800 Lumens (economy)
Resolution	18p
High Definition	Full HD
Contrast Ratio	5,000,000
Light Source	Laser
Laser Light source	20000 hr Durability High, 30000 hr Durability Eco
Keystone Correction	Manual vertical: 3, Manual horizontal: 3
Colour Video Processing	10 Bits Color
Colour Reproduction	Upto 1.07 billion colours

OPTICAL

Throw Ratio	0.25 - 0.35:1
Zoom	Digital, Factor: 1 - 1.35
Lens	Optical
Screen Size	60 in - 100 in
Projection Lens F Number	1.6
Projection Lens Focal Length	3.7 mm
Projection Lens Focus	Manual
Offset	5 : 1

CONNECTIVITY

Interfaces	VGA in (2 x), Jack plug in (3 x), Jack plug out (1 x), Ethernet interface (1 Base-TX / 1 Base-T) (1 x), Wireless LAN IEEE 802.11a/b/g/n/ac (1 x), Wi-Fi Direct (1 x), Miracast (1 x), Multi-Touch interface (Optional), Microphone input (1 x), RS-232C (1 x), USB 2.-A (2 x), Sync. in (1 x), VGA out (1 x), Sync. out (1 x), USB 2. Type B (Service Only) (2 x), HDMI in (3 x), Composite in (1 x)
Network Protocol	HTTPS, IPv4, SNMP, IPv6, ESC/VP.net, PJLink

ADVANCED FEATURES

Security	Kensington lock, Control panel lock, Security cable hole, Padlock, Wireless LAN security, Wireless LAN unit lock, Password protection, Password lock
Other Features	21:9 aspect ratio support, A/V mute, Arc Correction, Auto Power On, Built-in speaker, CEC compatible, Auto source search, Digital zoom, Direct Power on/off, Dual Pen Support, Easy OSD pre-setting, Document Camera Compatible, Email notification, Finger-touch support, iProjection App, iProjector set-up by QR code, Wireless LAN capable, Whiteboard sharing function, Web Control, Web Remote, Ultra-wide display (16:6), Split-Screen-Function, Quick Corner, Schedule Function, Screen share, Screen Mirroring, Projection App for Chromebook, PC Interactive, PC free annotation, OSD copy function, Network projection, Network administration, Microphone input, Interactive OSD menu, Interactive Home Screen, Interactive, Instant on/off, Image Shift, Home Screen, Horizontal and vertical keystone correction, Mail notification function
Video Colour Modes	Blackboard, Cinema, Dynamic, Presentation, sRGB, DICOM SIM
Projector Control	Crestron Integrated Partner, Crestron RoomView, Extron IP Link, AMX Device Discovery, Control4 Simple Device Discovery Protocol

EPSON[®]

PRODUCT SPECIFICATIONS

GENERAL	
Power consumption	197 W, 263 W (economy), 141 W (standby)
Product dimensions	356 mm x 395 mm x 133 mm (Width x Depth x Height)
Heat Dissipation	895 BTUperhour
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Included Software	EasyMP Multi PC Projection, Easy Interactive Tools, Epson Projector Management
Noise Level	Normal: 37 dB (A) - Economy: 27 dB (A)
Supported Temperature	Storage -10 °C - 60 °C
Supported Humidity	Operation 20 % - 80 %, Storage 10 % - 90 %
Options	Safety wire set
Loudspeaker	16 W
Room Type / Application	Meeting room / Classroom
Positioning	Ceiling Mounted, Desktop, Wall Mounted
Colour	White

OTHER

Epson EB-770FI

WHAT'S IN THE BOX

- Power cable
- Pen Holder/Stand
- Interactive pens
- 2 x Pen tip(Teflon)
- 4 x Pen tip(Felt)
- USB cable
- Remote control incl. batteries
- Quick Start Guide
- Projector feet
- Warranty document
- Corner markers for auto screen adjustment

OPTIONAL ACCESSORIES

- Air Filter - ELPAF60 - EB-7XX / EB-L2xx Series V13H134A60
- Ceiling pipe - ELPFP13 - 668-918mm V12H003P13
- Ceiling pipe - ELPFP14 - 918-1168mm V12H003P14
- Control and Connection Box - ELPCB03 V12H927040
- Control and Connection Box - ELPCB03 [240v]

- Control and Connection Box - ELPCB03N V12HB11040
- ELPFT01 - Finger Touch Unit V12H007A24
- Wall Mount - ELPMB62 - EB-7xx / EB-8xx V12HA06A06
- ELPMB63 - Finger Touch Wall Bracket for ELPFT01 V12HA05A09
- External Speaker - ELPSP02 V12H467040