


# EB-PU2216B



## DATASHEET / BROCHURE



## EB-PU2216B

**EB-PU2216B - бұл өте жеңіл және ықшам болатын жоғары люменді 3LCD проектор.**

{bШағын және жеңіл}Салмағы мен өлшемін азайту проекторды сақтауды, тасымалдауды және орнатуды жеңілдетіп, қойма кеңістігін, сондай-ақ еңбек пен жеткізу шығындарын үнемдейді. {bКеремет сурет сапасы} Бұл жоғары люменді, 3LCD проекторы бай текстуралар мен айқынырақ кескіндер үшін 4K жақсартуы және HDR бар WUXGA ажыратымдылығын ұсынады. {bИкемділік}EB-PU2216B функционалдығы қарапайым орнатуға, жинақтауға, линзаның икемділігіне және басқаруға мүмкіндік береді. Ол компьютерсіз жинақтау үшін кірістірілген өңдеуді қамтиды, бұл екі қолдау көрсетілетін проекторды сыртқы компьютерлік құралды қажет етпей-ақ жарықтылықты екі еселеу үшін жинақтауға болатындығын білдіреді. {bСенімділік}Герметикалық жабылған оптикалық қозғалтқыш және лазерлік жарық көзі құрылғысы ретінде тамаша шаңға төзімділікті қамтиды, тіпті шаңы жоғары орталарда да ұзақ уақыт бойы тұрақты жарықтылықты қамтамасыз етеді.

## KEY FEATURES

- **Ультра жеңіл және ықшам**  
Сақтау, тасымалдау және орнату оңай
- **Керемет бейнелер**  
16 000лм, 4K Enhancement технологиясы, WUXGA ажыратымдылығы
- **Қолдануға оңай**  
Қарапайым орнату, жинақтау, линзаның икемділігі және басқару
- **Сәйкестендіру және ұмыту сенімділігі**  
Жақсартылған шаңға төзімді конструкция - IP5X сертификаты бар
- **Қоршаған ортаның пайдасы**  
Төмен қуат тұтыну, қысқартылған орау, аз салмақ

## PRODUCT SPECIFICATIONS

EB-PU2216B

### TECHNOLOGY

Projection System	3LCD Technology
LCD Panel	1.03 inches with C2 Fine

### IMAGE

Color Light Output	16000 Lumens - 11200 Lumens (economy)
White Light Output	16000 Lumens - 11200 Lumens (economy)
Resolution	WUXGA
High Definition	4K enhancement
Contrast Ratio	5,000,000
Light Source	Laser
Laser Light source	20000 hr Durability High, 30000 hr Durability Eco
Colour Video Processing	10 Bits Color
Colour Reproduction	Upto 1.07 billion colours

### OPTICAL

Throw Ratio	0.35 - 7.41:1
Zoom	Digital, Factor: 1 - 1.6
Screen Size	60 in - 1000 in
Projection Lens Focus	Motorized

### CONNECTIVITY

Interfaces	HDBaseT (1 x), Near Field Communication (NFC) (1 x), 3G-SDI Output (1 x), RS-232C (1 x), USB 2.-A (2 x), VGA (кіріч) (1 x), 3G-SDI інтерфейсі (1 x), Ethernet Interface (1 Base-T/1-Base TX/ 1-Base-T) (1 x), Remote (1 x), HDMI in (1 x), USB content playback (1 x), USB 2. Type B (Service Only) (1 x), Jack plug out (1 x), DVI кіріч (1 x), Wireless LAN IEEE 82.11a/b/g/n (Optional)
Network Protocol	IPv6, ESC/VP.net, PJLink, HTTPS, SNMP

### ADVANCED FEATURES

Security	Kensington lock, Security bar, Password lock, Password protection, Wireless LAN unit lock, Wireless LAN security
Other Features	4K enhancement, Auto Power On, Auto source search, Direct Power on/off, Edge Blending, Long light source life, Lens position memory, OSD copy function, Power on button, Schedule Function, Quick Corner, Super resolution, Split-Screen-Function, Web Control, Web Remote, iProjection App, 21:9 aspect ratio support, Point correction, Freeze image, Horizontal and vertical keystone correction
Video Colour Modes	Cinema, Dynamic, Natural, Presentation, DICOM SIM, Multi Projection, BT79
Projector Control	AMX, Crestron, Extron

## PRODUCT SPECIFICATIONS

GENERAL	
Heat Dissipation	3,682 BTUperhour
Product dimensions	586 mm x 492 mm x 218 mm (Width x Depth x Height)
Supply Voltage	AC 200 V - 240 V, 50 Hz - 60 Hz
Noise Level	Normal: 38 dB (A) - Economy: 34 dB (A)
Included Software	Epson Creative Projection , Epson Projector Content Manager, Epson Projector Management, Epson Projector Professional Tool, Epson Projector Config Tool
Supported Temperature	Storage -10 °C - 60 °C
Supported Humidity	Operation 20 % - 80 %, Storage 10 % - 90 %
Options	Ceiling mount, Wireless LAN unit, Camera module
Room Type / Application	Сөйлесу бөлмесі, Үлкен конференц-зал / Аудитория, Конференц-зал / Сынып бөлмесі, Прокатқа берушілерге / Сахнаға арналған шешімдер, Жарнама / Бөлшек сауда, Проекциялық маппинг, Келушілерді тарту шешімдері
Positioning	Төбеге орнату, Жұмыс үстеліне орнату, Жақтауға арналған бекіткіш
Colour	Black

### OTHER

## EB-PU2216B

### WHAT'S IN THE BOX

- Power cable
- Remote control incl. batteries
- Cable cover
- Lens connector cap
- Document Pack
- Initial toner cartridges
- Main unit
- Quick Start Guide

### OPTIONAL ACCESSORIES

- Camera Unit - ELPEC01  
V12HA46010
- Ceiling Mount - ELPMB68  
V12H006AE0
- Extension Pole - ELPMB70 - For ELPMB68  
V12H006AG0
- Lens - ELPLL08 - Long throw - EB-PU Series  
V12H004L08
- Lens - ELPLM10 - Mid throw 3 - EB-PU Series  
V12H004M0A
- Lens - ELPLM11 - Mid throw 4 - EB-PU Series  
V12H004M0B
- Lens - ELPLM15 - Mid throw - EB-PU Series  
V12H004M0F
- Lens - ELPLU03S - Short throw off axis 1 - EB-PU Series  
V12H004UA3
- Lens - ELPLU04 - Short throw off axis 2 - EB-PU Series  
V12H004U04
- Lens - ELPLW06 - Wide zoom 2 - EB-PU Series  
V12H004W06

