



KEY FEATURES

EH-QL3000W

Super-size imaging technology, perfect for movies, streaming, gaming, sports viewing, home simulators and more

3LCD laser source; 6,000lm; 4K (8.3m pixel) super-resolution; high-quality, vibrant, and expansive images

Includes 4K frame interpolation, HDR10, scene-adaptive gamma correction and Dynamic Tone Mapping, plus 4K/120Hz and Auto Low Latency Mode

Compatible with a wide range of long and short-throw lenses to provide optimum image size and quality in almost any media space

Light, compact and flexible, seamless integration with leading AV control systems means easy maintenance, customisation and scalability

Best for large-scale home entertainment. 4K 3LCD laser projector with .6,000 lumens, HDR10 and interchangeable lens support

Whether you're into movies, gaming or sport simulation, you'll love this incredible new projector from Epson. Using a range of advanced technologies to provide stunning-quality, ultra-bright images up to 1,000", it delivers an amazingly immersive and engaging experience in any room, from dedicated media spaces to well-lit living areas. With advanced 3LCD laser technology at its core, the EH-QL3000W delivers 4K super-resolution images (3840 x 2160). With a 5,000,000:1 dynamic contrast ratio for well-defined shadows and even deeper blacks, this Professional Home projector also features a range of advanced image enhancement technologies, such as 4K frame interpolation to ensure smooth images, and super resolution to preserve detail in every scene. With advanced features such as Dynamic Tone Mapping to enhance visual quality on a frame-by-frame basis, and HDR10 for more vivid and lifelike colours, the EH-QL3000W delivers an outstanding viewing experience for both movies and sport. With HDMI 2.1 connectivity, a 4K/120hz refresh and Auto Low Latency Mode, it offers a superbly-smooth gaming experience, while its spectacular image quality at screen sizes up to 1,000" make it the perfect choice for sport simulation. Compatible with a wide range of interchangeable lenses, the EH-QL3000W is easily configured to provide the desired image size, at optimal quality, in any media space. Including options such as an ultra-short throw, zero-offset lens that allow it to be discreetly installed on surfaces such as ceilings, the EH-QL3000W's interchangeable lenses also mean that you can easily adjust the throw distance to project images from different distances without moving the projector. Compatible with a wide range of IP control systems, the EH-QL3000W is not only easily integrated with existing installations, but offers many other benefits, such as simple customisation. Plus, its motorised lens shift with large range, coupled with motorised zoom and focus, make the projector fast and easy to set up, while its near-instant warm-up and cool-down times contribute to its outstanding convenience, energy-efficiency and long (20,000 hour) laser life

TECHNOLOGY	
تقنية 3LCD غطاء عدسة الكريستال السائل من RGB	Projection System
inches with C2 Fine 1.04	LCD Panel

IMAGE	
Resolution	4K 3840 x 2160, 8.3m pixels, 16:9
High Definition	Full HD
Contrast Ratio	5,000,000
Light Source	الليزر
Laser Light source	hr Durability High, 20000 hr Durability Eco 20000
Keystone Correction	Manual vertical: 30, Manual horizontal: 45
Colour Video Processing	Bits Color 10
Colour Reproduction	Upto 1.07 billion colours

OPTICAL	
2.47:1 - 1.52	Throw Ratio
Digital, Factor: 1 - 1.61	Zoom

CONNECTIVITY	
منفذ USB 2.0 من الفئة (2 x) (HDMI (HDCP 2.3) (2 x) A, مخرج صوت بمقبس استريو صغير (1 x) USB 2.0 النوع B (الخدمة فقط) 1) RS-232C (1 x) (x)	Interfaces
PJLink, IPv6	Network Protocol

ADVANCED FEATURES	
حماية كينسينغتون	Security
A/V mute, التشغيل/إيقاف التشغيل المباشر, الإطار- تقنية التداخل بين البكسل, تصحيح انحراف أفقي ورأسي, ذاكرة وضع العدسة, وظيفة النسخ المعروضة على الشاشة, تقنية كويك كورنر, دقة فائقة	Other Features
سينما, طبيعي, زاهي, حركي	Video Colour Modes
اكتشاف جهاز AMX, Crestron Integrated Partner, Crestron (الشبكة), بروتوكول Control4 Simple Device .Discovery	Projector Control

WHAT'S IN THE BOX

- كابل للكهرباء
- التحكم عن بعد مع بطاريات
- غطاء الكابل
- دليل المستخدم
- Warranty card

GENERAL

Product dimensions	mm x 568 mm x 192 mm (Width x Depth x Height)	568
Heat Dissipation		BTUperhour 1,486
Supply Voltage		AC 100 V - 240 V, 50 Hz - 60 Hz
Supported Temperature		Storage -10 °C - 60 °C
Options		
Room Type / Application		

LOGISTICS INFORMATION

	V11HB34980	SKU
Colour	8715946733876	EAN Code White
	China	Country Of Origin

OTHER

OPTIONAL ACCESSORIES

- Air Filter - ELPAF46 - EB-L107x/-Z9xxx/ •
Z1000xU/Z11xxx
V13H134A46
- Ceiling Mount - ELPMB67 - EB-L1000/PU1000 •
V12HA54010
- Ceiling Mount - ELPMB68 •
V12H006AE0
- Extension Pole - ELPMB70 - For ELPMB68 •
V12H006AG0
- Lens - ELPLL08 - Long throw - EB-PU Series •
V12H004L08
- Lens - ELPLM08 - Mid throw 1 - EB-PU1000 •
Series
V12H004M08
- Lens - ELPLM10 - Mid throw 3 - EB-PU Series •
V12H004M0A
- Lens - ELPLM11 - Mid throw 4 - EB-PU Series •
V12H004M0B
- Lens - ELPLM15 - Mid throw - EB-PU Series •
V12H004M0F
- Lens - ELPLU03S - Short throw off axis 1 - EB- •
PU Series
V12H004UA3

Wireless Presentation Systems



</ "STEPREF A="ContactInformation" O="Product177261" OT="Product" VC="ar_LY_context" VO="197287" W="Main">