

# Epson EB-L265F

DATASHEET / BROCHURE



## EB-L265F

**Best for professional environments. 4,600-lumen Full HD 3LCD projector for versatile business and education use.**

Innovative and cost effective Epson's advanced laser technology is bright, robust and reliable for a flexible and easy to use digital signage solution. It offers bright and vivid colours in a cost-effective solution capable of creating large displays or even projecting onto 3D objects. Flexible display options The EB-L265F enables scalable display sizes of up to 310 inches with a single projector - even larger when edge-blending 2 units. Full HD, 4,600 lumen brightness and 3LCD technology offer bright colours and high quality - perfect for creating engaging and informative displays, even in bright spaces. It can be mounted wherever needed - wall, floor or ceiling (inc. on a lighting track) with optional accessories. A white model is also available (EB-L260F) to ensure the projector is as discrete as possible. Create dynamic content Epson offers free apps for content creation (Epson Creative Projection & Epson Projector Content Management). Content can be played directly from USB (including playlists, videos, and signage content) using the built-in playback feature. Users can even upload and playback content wirelessly with built-in Wi-Fi and Miracast functionality. Low maintenance and high reliability Up to 20,000 hours maintenance-free use using a laser light source with a 5 year warranty make this a cost-effective fit-and-forget display solution you can rely on.

## KEY FEATURES

- **Experiential signage solution**  
Large, bright display for signage, or project onto 3D objects
- **Up to 310-inch display**  
Full HD resolution, 4,600 lumen brightness and 3LCD technology
- **Installation flexibility**  
Wall, ceiling, floor, or lighting track, with 360 degree rotation
- **Cost effective**  
20,000 hours maintenance free - 5 year warranty
- **Flexible playback**  
Play content directly from USB stick or Miracast

**EPSON®**

PRODUCT SPECIFICATIONS

Epson EB-L265F

|                              |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
|------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| TECHNOLOGY                   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Projection System            | 3LCD Technology<br>RGB liquid crystal shutter                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| LCD Panel                    | 0.62 inches with C2 Fine                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| IMAGE                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Color Light Output           | 4600 Lumens - 3200 Lumens (economy)                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| White Light Output           | 4600 Lumens - 3200 Lumens (economy)                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| Resolution                   | 1080p                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| High Definition              | Full HD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Contrast Ratio               | 5,000,000                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Light Source                 | Laser                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Laser Light source           | 20000 hr Durability High, 30000 hr Durability Eco                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Keystone Correction          | Manual vertical: 30, Manual horizontal: 30                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Colour Video Processing      | 10 Bits Color                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Colour Reproduction          | Upto 1.07 billion colours                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| OPTICAL                      |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Throw Ratio                  | 1.32 - 2.12:1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| Zoom                         | Digital, Factor: 1 - 1.62                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Lens                         | Optical                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Screen Size                  | 31 in - 310 in                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Projection Lens F Number     | 1.77                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Projection Lens Focal Length | 29.1 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Projection Lens Focus        | Manual                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Offset                       | 10 : 1                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| CONNECTIVITY                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Interfaces                   | USB 2.0-A (1 x), Composite in (1 x), RS-232C (1 x), Jack plug out (1 x), VGA in (2 x), Miracast (1 x), Ethernet interface (100 Base-TX / 10 Base-T) (1 x), Wireless LAN IEEE 802.11a/b/g/n/ac (1 x), VGA out (1 x), HDMI (HDCP 2.3) (2 x), USB 2.0 Type B (Service Only) (1 x), Jack plug in (2 x)                                                                                                                                                                                             |
| Epson iProjection App        | Ad-Hoc / Infrastructure                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Network Protocol             | HTTPS, PJLink, IPv6, SNMP, ESC/VP.net                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| ADVANCED FEATURES            |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Security                     | Kensington lock, Security bar, Control panel lock, Padlock, Security cable hole, Wireless LAN unit lock, Password protection, Wireless LAN security                                                                                                                                                                                                                                                                                                                                            |
| Other Features               | A/V mute, Arc Correction, Auto Power On, Auto source search, Automatic keystone correction, Built-in speaker, Customizable user logo, Direct Power on/off, Document Camera Compatible, Edge Blending, Home Screen, Horizontal and vertical keystone correction, Long light source life, OSD copy function, Quick Corner, Schedule Function, Screen Mirroring, Split-Screen-Function, Super resolution, Web Remote, Web Control, Wireless LAN capable, iProjection App, PC Free, CEC compatible |
| Video Colour Modes           | Dynamic, Cinema, sRGB, Multi Projection, Presentation, Blackboard                                                                                                                                                                                                                                                                                                                                                                                                                              |
| Projector Control            | AMX Device Discovery, Control4 Simple Device Discovery Protocol, Extron IP Link, Crestron RoomView, Crestron Integrated Partner                                                                                                                                                                                                                                                                                                                                                                |

PRODUCT SPECIFICATIONS

| GENERAL                 |                                                                                                                    |
|-------------------------|--------------------------------------------------------------------------------------------------------------------|
| Power consumption       | 199 W, 144 W (economy), 0.5 W (standby)                                                                            |
| Heat Dissipation        | 884 BTUperhour                                                                                                     |
| Supply Voltage          | AC 220 V - 240 V, 50 Hz - 60 Hz                                                                                    |
| Included Software       | Epson Creative Projection, EasyMP Multi PC Projection, Epson Projector Content Manager, Epson Projector Management |
| Noise Level             | Normal: 37 dB (A) - Economy: 27 dB (A)                                                                             |
| Supported Temperature   | Storage -10 °C - 60 °C                                                                                             |
| Supported Humidity      | Operation 20 % - 80 %, Storage 10 % - 90 %                                                                         |
| Options                 | Wireless transmitter - ELPWT01                                                                                     |
| Loudspeaker             | 16 W                                                                                                               |
| Room Type / Application | Signage / Retail, Visitor Attraction, Projection Mapping                                                           |
| Positioning             | Floor, Ceiling Mounted, Lighting Track, Wall Mounted, Desktop                                                      |
| Colour                  | Black                                                                                                              |

OTHER

Epson EB-L265F

WHAT’S IN THE BOX

- Power cable
- Remote control incl. batteries
- Cable cover
- Warranty document
- User guide
- HDMI Cable
- Main unit

OPTIONAL ACCESSORIES

- Air Filter - ELPAF60 - EB-7XX / EB-L2xx Series V13H134A60
- Ceiling mount / Floor stand - ELPMB60B V12H963110
- Ceiling pipe - ELPFP13 - 668-918mm V12H003P13
- Ceiling pipe - ELPFP14 - 918-1168mm V12H003P14
- Control and Connection Box - ELPCB03
- Control and Connection Box - ELPCB03 [240v] V12H927040DA
- Control and Connection Box - ELPCB03N V12HB11040
- External Speaker - ELPSP02 V12H467040
- External Speaker - ELPSP02 - [240v] V12H467040DA
- Lighting Track Mount - ELPMB61B V12H964140

