EV-115



EV-115

Ідеально для враженнєвих дисплеїв і цифрових вивісок. Універсальний лазерний проєктор WXGA з яскравістю 2200 люменів і GPI-сенсором (чорний).

LightScene EV-115 дає змогу користувачам розкрити свою креативність і миттєво проєктувати привабливі візуальні елементи з чіткою роздільною здатністю WXGA та яскравістю 2200 люменів. Завдяки своєму непомітному дизайну він може використовуватися там, де традиційний проєктор виділявся б. Також доступний у білому кольорі. Легкий, адаптивний дизайн означає, що EV-115 можна встановлювати різними способами — від традиційного стельового кріплення до окремо стоячого підлогового монтажу або прикріплення до освітлювальної рейки, зокрема рейок з вбудованим освітленням. Має вбудований медіаплеєр з бездротовим завантаженням контенту, що дає змогу завантажувати списки відтворення на SD-картку та відтворювати безпосередньо з проєктора[1]. EV-115 також має підключення HDMI для простої інтеграції в системи керування контентом без спеціалізованого встановлення. Функція GPI підтримує пряме підключення сенсорів для створення динамічних вражень, які можуть адаптуватися до ситуаційних змін без потреби в дорогому зовнішньому обладнанні. EV-115 також використовує передові техніки, такі як зрощення країв, для досягнення приголомшливих результатів у більших просторах, які потребують інсталяцій з кількох пристроїв. П'ятирічна гарантія в поєднанні з надійною технологією лазерного джерела світла Epson та герметично закритим оптичним механізмом означає, що EV-115 не потребує регулярного обслуговування.

DATASHEET / BROCHURE

LASER

KEY FEATURES

- **Враженнєве проєціювання**
  Легко створюйте безмежний контент, освітлювальні ефекти та зрощені дисплеї
- **Контент на основі сенсорів**
  Функція GPI для простих сенсорних вражень
- **Гнучке встановлення**
  Можна змонтувати на стелі, окремо стояти або прикріпити до освітлювальної рейки
- **Готовий до вивісок**
  Вбудований медіаплеєр і проста інтеграція CMS
- **Надзвичайно високий рівень надійності**
  Надійна лазерна технологія Epson, підкріплена п'ятирічною гарантією

EPSON®

PRODUCT SPECIFICATIONS

EV-115

TECHNOLOGY	
Projection System	3LCD Technology
LCD Panel	0.59 inches with C2 Fine
IMAGE	
Color Light Output	2200 Lumens - 1100 Lumens (economy)
White Light Output	2200 Lumens - 1100 Lumens (economy)
Resolution	WXGA 2
Contrast Ratio	5,000,000
Light Source	Laser
Laser Light source	20000 hr Durability High, 30000 hr Durability Eco
Keystone Correction	Manual vertical: 40, Manual horizontal: 45
Colour Reproduction	16.77 million colours
OPTICAL	
Throw Ratio	1.38 - 2.19:1
Zoom	Digital, Factor: 1 - 1.58
Lens	Optical
Screen Size	30 in - 150 in
Projection Lens F Number	1.92
Projection Lens Focal Length	28.4 mm
Projection Lens Focus	Motorized
CONNECTIVITY	
Interfaces	USB 2.-A (1 x), Wireless LAN b/g/g 25GHz (1 x), Wireless LAN a/n (5GHz) (1 x), USB 2. Type B (Service Only) (1 x), Ethernet interface (1 Base-TX / 1 Base-T) (1 x), SD Card playback (1 x), HDMI in (1 x), SD Card Slot (1 x), Jack plug out (1 x)
Network Protocol	IPv6, SNMP, PJLink, HTTPS, ESC/VP.net
ADVANCED FEATURES	
Security	Wireless LAN security, Password protection
Other Features	Digital zoom, Horizontal and vertical keystone correction, Quick Corner, A/V mute, Auto Power On, Edge Blending, Image Shift, Long light source life, Web Control, Web Remote
Video Colour Modes	Dynamic, Normal
Projector Control	Crestron, Crestron Integrated Partner, Crestron RoomView

EPSON®

PRODUCT SPECIFICATIONS

GENERAL	
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Included Software	Epson Creative Projection, Epson Projector Content Manager
Noise Level	Normal: 34 dB (A) - Economy: 22 dB (A)
Supported Temperature	Storage -10 °C - 60 °C
Supported Humidity	Operation 20 % - 80 %, Storage 10 % - 90 %
Options	Floor stand, Lighting track mount, External Speaker
Room Type / Application	Signage / Retail, Visitor Attraction, Projection Mapping
Positioning	Floor, Lighting Track, Ceiling Mounted, Wall Mounted
Colour	Black

OTHER

EV-115

WHAT'S IN THE BOX

- Cable cover
- Direct mount unit
- HDMI Cable Clamp
- Power cable
- Remote control incl. batteries
- Hexagon wrench
- Safety wire set
- Quick Start Guide
- Installation/safety manual
- User Guide Kit (CD)

OPTIONAL ACCESSORIES

- External Speaker - ELPSP02
  V12H467040
- Floor Stand - ELPMB55B - EV-105
  V12H888B10
- Lighting Track Mount - ELPMB66B - EV-115
  V12HA32140
- Safety Wire - ELPWR01
  V12H003W01

EPSON®