

Epson EB-L210SF

DATASHEET / BROCHURE



EB-L210SF

Әмбебап лазерлік проектор біріктірілген 3LCD технологиясы жиналыс бөлмелері мен сыныптарда жоғары сапалы Full HD мазмұнын жеткізу үшін өте қолайлы.

EB-L210SF қысқа лақтырғыш линзасы проекторды дисплейге жақын орналастыруға мүмкіндік береді, бұл шағын бөлмелер үшін өте қолайлы және дисплейге көлеңке түсіру қаупін азайтады. Кейбір басқа бренд проекторларынан айырмашылығы, EB-L210SF жарқын және жанды дисплей үшін 4,000 люменді қамтамасыз ететін 3LCD технологиясын ұсынады. Тәжірибе әсерлі және пайдаланушыға ыңғайлы. 55-125 дюйм аралығында масштабталатын дисплей өлшемдерін бір өніммен және тұрақты құны бар әрбір бөлме үшін оңтайландыруға болады және ол төмен баға, үлкен, біркелкі, энергияны үнемдейтін 3780x1080p кескін үшін көп проекциялық жиектерді араластыруды қолдайды. 30,000 сағатқа дейін ұзақ қызмет ететін лазерлік жарық көзінің арқасында ол диагоналі 125 дюймге дейінгі үлкен дисплей жасайды, ол барлық бұрыштардан және қашықтықтан жақсы көрінеді. Тегіс дисплейлерден айырмашылығы, EB-L210SF тасымалдануы мүмкін және белгілі бір бұрыштарда кедергілер мен шағылысқан соқыр жерлерді тудыратын шыны жалпақ панель жоқ. Miracast™ экранының шағылыстыруын қоса, жан-жақты сымды және сымсыз қосылым опциялары мазмұнды оңай, көп құрылғымен бөлісуді қамтамасыз етеді және қосылған қосымша Epson визуализаторымен құжаттарды, презентацияларды немесе 3D нысандарын бүкіл бөлмеге керемет егжей-тегжейлі көрсетуге болады. USB 2A қуат шығысымен HDMI ағынды таяқшаларын да қосуға болады, бұл қосымша мүмкіндіктерді ашу үшін.

KEY FEATURES

- **Масштабталатын, портативті FHD дисплейі**
55-125 дюймдік ST дисплейі шағылыспай, шектеусіз көру үшін
- **Жарқын және энергияны үнемдейтін лазер**
Бар болғаны 201 Вт ашық түстерге арналған 3LCD технологиясы бар 4,000 лм CLO
- **Жеңіл қосылым опциялары**
Смарт таяқшаларға арналған USB 2A шығысы бар автоматты қосылатын, сымды / сымсыз дисплей
- **Пайдалану оңай және ұзаққа созылатын етіп жасалған**
5 жыл, 12,000 сағат кепілдікпен іс жүзінде техникалық қызмет көрсетусіз
- **Құжат камерасының үйлесімділігі**
Тікелей, толығымен әсер ететін сабақты немесе презентацияны жасаңыз және жазыңыз

EPSON®

PRODUCT SPECIFICATIONS

Epson EB-L210SF

TECHNOLOGY

Projection System	3LCD Technology RGB liquid crystal shutter
LCD Panel	0.62 inches with C2 Fine

IMAGE

Color Light Output	4000 Lumens - 2800 Lumens (economy)
White Light Output	4000 Lumens - 2800 Lumens (economy)
Resolution	18p
High Definition	Full HD
Contrast Ratio	5,000,000
Light Source	Laser
Laser Light source	20000 hr Durability High, 30000 hr Durability Eco
Keystone Correction	Manual vertical: 15, Manual horizontal: 15
Colour Video Processing	10 Bits Color
Colour Reproduction	Upto 1.07 billion colours

OPTICAL

Throw Ratio	0.45 - 0.61:1
Zoom	Digital, Factor: 1 - 1.35
Lens	Optical
Screen Size	55 in - 300 in
Projection Lens Focus	Manual
Offset	11 : 1

CONNECTIVITY

Interfaces	Ethernet Interface (1 Base-T/ 1-Base TX/ 1-Base-T) (1 x), VGA (шығыс) (1 x), USB 2. (1 x), RS-232C (1 x), Microphone input (1 x), Jack plug out (1 x), Wi-Fi Direct (1 x), VGA (кіріс) (2 x), Jack plug in (2 x), Wireless LAN IEEE 802.11a/b/g/n/ac (1 x), HDMI in (2 x), Miracast (1 x), USB 2. Type B (Service Only) (1 x)
Epson iProjection App	Ad-Hoc / Infrastructure
Network Protocol	HTTPS, IPv4, IPv6, SNMP, ESC/VP.net, PJLink

ADVANCED FEATURES

Security	Kensington lock, Control panel lock, Password lock, Padlock, Security cable hole, Wireless LAN unit lock, Wireless LAN security, Password protection
Other Features	Arc Correction, Auto Power On, Auto source search, Built-in speaker, CEC compatible, Digital zoom, Direct Power on/off, Document Camera Compatible, Edge Blending, Easy OSD pre-setting, Email notification, Home Screen, Horizontal and vertical keystone correction, Instant on/off, Mail notification function, Microphone input, Network administration, Long light source life, OSD copy function, Quick Corner, Network projection, Split-Screen-Function, Set-up wizard, Screen Mirroring, Web Control, Web Remote, Wireless LAN capable, iProjection App
Video Colour Modes	Blackboard, Dynamic, Presentation, sRGB, DICOM SIM, Cinema, Multi Projection
Projector Control	AMX, Crestron, Extron, Crestron (RS-232c only), Crestron Integrated Partner, Extron IP Link, Crestron RoomView, AMX Device Discovery, Extron XTP, Control4 Simple Device Discovery Protocol

EPSON[®]

PRODUCT SPECIFICATIONS

GENERAL	
Power consumption	201 W, 260 W (economy), 144 W (standby)
Heat Dissipation	884 BTUperhour
Product dimensions	325 mm x 337 mm x 90 mm (Width x Depth x Height)
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Noise Level	Normal: 37 dB (A) - Economy: 27 dB (A)
Included Software	Epson Projector Management, Epson Projector Content Manager, EasyMP Multi PC Projection
Supported Temperature	Storage -10 °C - 60 °C
Supported Humidity	Operation 20 % - 80 %, Storage 10 % - 90 %
Options	Connection and control box, Visualiser camera, Wall mount, Ceiling mount, External Speaker
Loudspeaker	16 W
Room Type / Application	Конференц-зал / Сынып бөлмесі, Сөйлесу бөлмесі
Positioning	Төбеге орнату, Қабырғаға орнату, Үстелге арналған бекіткіш
Colour	White

OTHER

Epson EB-L210SF

WHAT'S IN THE BOX

- Power cable
- Remote control incl. batteries
- HDMI Cable 1.8m
- Quick Start Guide
- Warranty Documents

OPTIONAL ACCESSORIES

- Air Filter - ELPAF60 - EB-7XX / EB-L2xx Series V13H134A60
- Ceiling pipe - ELPFP13 - 668-918mm V12H003P13
- Ceiling pipe - ELPFP14 - 918-1168mm V12H003P14
- Control and Connection Box - ELPCB03 V12H927040
- Control and Connection Box - ELPCB03 [240v]
- Control and Connection Box - ELPCB03N V12HB11040
- External Speaker - ELPSP02 V12H467040
- External Speaker - ELPSP02 - [240v]
- Soft Carry Case - ELPKS71 V12H001K71
- Wall Mount - ELPMB64 - EB-L2xx V12HA39010