DATASHEET / BROCHURE

Epson EB-760WI



KEY FEATURES

Interactive HD display for any room •

UST display for unrestricted ”53-100 (viewing (no shadows/reflections

Bright and energy efficient laser •

4,100lm CLO with 3LCD technology for brighter colours at only 205W

Effortless connectivity options •

Auto-on, wired / wireless display with USB 2A output for smart sticks

Simple to use and built to last •

Virtually maintenance free with 5-year, 12,000hr warranty

Document camera compatibility •

Create and record a live, totally immersive lesson or presentation

EB-760WI

Best for collaborative workspaces and classrooms. Ultra-short-throw .interactive laser display with 4,100 lumens

The EB-760Wi is a step up from the EB-760W, with added interactive features.Interactive technology enables two digital pens to be used simultaneously on the display (finger touch available through optional accessory FT01). Presentations can be controlled and brought to life with on-screen annotations, while a variety of convenient built-in tools support productivity. An optional Epson visualiser camera can be controlled via the display, projecting documents or objects from a desk for everyone to see in incredible HD detail. The ultra short throw lens allows safe, discreet positioning above the display, enabling presenters free access to interact without casting shadows.With a 4,100 lumens laser-light source, combined with 3LCD technology, it produces a large, bright and vibrant display up to 100”, visibly clear from all angles and at a distance.Versatile wired and wireless connectivity options, including screen mirroring via Miracast™, allow participants to effortlessly share content from their PCs or mobile devices.Unlike a flat-panel display, there is no heavy, breakable, glass panel to create disruptive, reflected blind spots from certain angles, and presenters are not subjected to LCD panel direct blue .light radiation, believed to damage eyes

Epson EB-760Wi

PRODUCT SPECIFICATIONS

TECHNOLOGY	
Projection System	تقنية 3LCD غطاء عدسة الكريستال السائل من RGB
LCD Panel	inches with C2 Fine 0.59
IMAGE	
Color Light Output	(Lumens - 2800 Lumens (economy 4100
White Light Output	(Lumens - 2800 Lumens (economy 4100
Resolution	WXGA
High Definition	HD ready
Contrast Ratio	5,000,000
Light Source	الليزر
Laser Light source	hr Durability High, 30000 hr Durability Eco 20000
Keystone Correction	Manual vertical: 3, Manual horizontal: 3
Colour Video Processing	Bits Color 10
Colour Reproduction	Upto 1.07 billion colours
OPTICAL	
Throw Ratio	0.37:1 - 0.27
Zoom	Digital, Factor: 1 - 1.35
Lens	بصري
Screen Size	in - 100 in 53
Projection Lens F Number	1.6
Projection Lens Focal Length	mm 3.7
Projection Lens Focus	Manual
Offset	1 : 6
CONNECTIVITY	
Interfaces	USB 2. النوع B (الخدمة فقط) (2 x 1) RS-232C (x), توجيه (1 x Wi-Fi), منفذ USB 2. من الفئة (2 x A), مخرج صوت بمقبس استريو صغير (1 x), مدخل صوت بمقبس استريو صغير (3 x), مدخل (1 x Composite), مدخل (2 x VGA), شبكة محلية لاسلكية (1 x) (WiFi 5 (LAN IEEE 802.11a/b/g/n/ac), مدخل (3 x HDMI), واجهة توصيل Ethernet ((1 Base-TX/1 Base-T (1 x), Miracast ((1 x)), مخرج (1 x VGA), مدخل ميكروفون (1 x)
Epson iProjection App	بنية تحتية/مخصصة لأغراض معينة
Network Protocol	IPv6, PJLink, ESC/VP.net, SNMP, HTTPS, IPv4
ADVANCED FEATURES	
Security	حماية كينسينغتون, Padlock, فتحة كابل الحماية, قفل وحدة LAN لاسلكية, حماية كلمة المرور, أمان شبكة LAN لاسلكية, إغلاق لوحة التحكم, حماية كلمة المرور
Other Features	A/V mute, تصحيح محاذاة الانحناء , تشغيل تلقائي, البحث التلقائي عن المصدر, سماعات مدمجة, شعار المستخدم القابل للتخصيص, زوم رقمي, التشغيل/إيقاف التشغيل المباشر, كاميرا الوثائق المتوافقة, Email notification, تصحيح انحراف أفقي ورأسي, إزاحة الصورة, متصفح JPEG, عمر طويل لمصدر الضوء, وظيفة النسخ المعروضة على الشاشة, عرض ضوئي عبر الشبكة, بدون كمبيوتر, Power on button, تقنية كويك كورنر, وظيفة جدولة, مطابقة الشاشة, تحكم عبر الويب, التحكم عن بُعد عبر الويب, إمكانية توصيل بشبكة LAN لاسلكية, تطبيق iProjection, الشاشة الرئيسية, إعداد iProjecton بواسطة كود QR, وظيفة مشاركة لوحة الكتابة, وظيفة تقسيم الشاشة, متوافق مع CEC, دعم استخدام قلمين, الإعداد المسبق السهل المعروض على الشاشة, فتح/غلق فوري, تفاعلي, شاشة منزلية تفاعلية, القائمة التفاعلية المعروضة على الشاشة, Mail notification function, مدخل ميكروفون, إدارة الشبكة, جهاز الكمبيوتر التفاعلي, تعليقات توضيحية دون استخدام جهاز الكمبيوتر, iProjection تطبيق لـ Chromebook
Video Colour Modes	حركي, سينما, عرض تقديمي, sRGB, سبورة سوداء
Projector Control	Crestron Integrated Partner, Crestron RoomView, Extron IP Link, بروتوكول Control4 Simple Device, اكتشاف جهاز AMX Discovery.

EPSON®

Epson EB-760Wl

WHAT'S IN THE BOX

- كابل للكهرباء
- التحكم عن بعد مع بطاريات
- أقلام تفاعلية
- 2 x رأس قلم(تفلون)
- 4 x رأس قلم(لبّاد)
- حامل/قاعدة القلم
- دليل التشغيل السريع
- كابل USB
- Projector feet
- وثيقة الضمان
- Corner markers for auto screen adjustment

</ "١٣٥١٠٧"=STEPTABLE TT>

PRODUCT SPECIFICATIONS

	GENERAL
Power consumption	(W, 141 W (economy), 0.5 W (standby 199
Product dimensions	(mm x 395 mm x 133 mm (Width x Depth x Height 356
Heat Dissipation	BTUperhour 895
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Included Software	EasyMP Multi PC Projection, Epson Projector Management, Easy Interactive Tools
Noise Level	(Normal: 37 dB (A) - Economy: 27 dB (A
Supported Temperature	Storage -10 °C - 60 °C
Supported Humidity	% Operation 20 % - 80 %, Storage 10 % - 90
Options	رأس قلم(تفلون)
Loudspeaker	W 16
Room Type / Application	غرفة اجتماعات / قاعة دراسية
Positioning	تركيب في السقف, سطح المكتب, تركيب على الحائط
Colour	White
	OTHER

EPSON®