

# Epson EB-L210W

DATASHEET / BROCHURE



## EB-L210W

**Доступна та зручна в користуванні лазерна проєкційна система відображення з бездротовим підключенням і вбудованими динаміками**

Неперевершена якістьКомпактний лазерний дисплей WXGA з високим коефіцієнтом контрастності 2 500 000:1 і технологією 3LCD забезпечує надзвичайну якість зображення, а завдяки однаково високій яскравості білого та колірній яскравості ваші презентації будуть вражаючими навіть у яскраво освітлених приміщеннях.Легкість встановлення й підключенняМає функцію автоматичного ввімкнення MTR за допомогою виявлення відеосигналу HDMI та низка варіантів підключення, зокрема Dual HDMI та вбудований модуль бездротової локальної мережі для передавання вмісту з ноутбуків або мобільних пристроїв за допомогою функції дублювання екрана (Miracast). Підтримка PIN-коду та відображення діалогового імені користувача під час підключення Miracast до проєктора дає змогу викладачу блокувати переривання студентом під час проєктування. Блок живлення USB (2A) для легкого підключення смарт-маніпулятора. Сумісність із програмним забезпеченням iProjection забезпечує просте підключення мобільних пристроїв і спільне використання вмісту. Спокій і довговічністьЦей проєктор виключно надійний, його термін служби становить до 30 000 годин у режимі Eco (20 000 годин в нормальному режимі). EB-L210W постачається з п'ятирічною гарантією. Додаткова гнучкістьПрограмне забезпечення Epson iProjection сумісне з провідними платформами та дає змогу підключати до 50 комп'ютерів і розділяти екран на частини, надаючи додаткові можливості.

## KEY FEATURES

- **Відображення із яскравістю 4500 люменів**  
Чіткі зображення та яскраві кольори навіть у добре освітлених приміщеннях.
- **Лазерний проєктор**  
Використання до 30 000 годин (Eco) практично без технічного обслуговування.
- **Stream and share**  
Бездротове автоматичне ввімкнення MTR за допомогою HDMI та просте підключення смарт-маніпулятора.
- **Надзвичайно високий рівень надійності**  
Гнучкий, компактний лазерний проєктор постачається з п'ятирічною гарантією.
- **Комплексне рішення**  
Надвисокий рівень контрастності 2 500 000:1 дає змогу проєктору EB-L210W відтворювати чітку, живу картинку з виділеними тінями та глибоким чорним кольором.

**EPSON®**

## PRODUCT SPECIFICATIONS

Epson EB-L210W

### TECHNOLOGY

Projection System	3LCD Technology RGB liquid crystal shutter
LCD Panel	0.59 inches with C2 Fine

### IMAGE

Color Light Output	4500 Lumens - 3100 Lumens (economy)
White Light Output	4500 Lumens - 3100 Lumens (economy)
Resolution	WXGA
High Definition	HD ready
Contrast Ratio	5,000,000
Light Source	Laser
Laser Light source	20000 hr Durability High, 30000 hr Durability Eco
Keystone Correction	Manual vertical: 30, Manual horizontal: 30
Colour Reproduction	Upto 1.07 billion colours

### OPTICAL

Throw Ratio	1.41 - 2.26:1
Zoom	Digital, Factor: 1 - 1.62
Lens	Optical
Screen Size	30 in - 300 in
Projection Lens F Number	1.77
Projection Lens Focal Length	29.1 mm
Projection Lens Focus	Manual
Offset	10 : 1

### CONNECTIVITY

Interfaces	Composite in (1 x), RS-232C (1 x), VGA in (2 x), Jack plug in (2 x), Wireless LAN IEEE 802.11a/b/g/n/ac (1 x), Miracast (1 x), Jack plug out (1 x), Wi-Fi Direct (1 x), USB 2.-A (1 x), HDMI (HDCP 2.2) (2 x), USB 2. (1 x), Cinch audio out (1 x), Ethernet interface (1 Base-TX / 1 Base-T) (1 x), Microphone input (1 x), VGA out (1 x)
Epson iProjection App	Ad-Hoc / Infrastructure
Network Protocol	PJLink, SNMP, HTTPS, IPv6

### ADVANCED FEATURES

Security	Kensington lock, Padlock, Security cable hole, Wireless LAN unit lock
Other Features	Auto Power On, Home Screen, Long light source life, PC Free, Quick Corner, Split-Screen-Function, Wireless LAN capable, iProjection App, Mute key, OSD copy function, AV Mute Slide, Built-in speaker, Document Camera Compatible, Screen Mirroring, CEC compatible
Video Colour Modes	Cinema, Dynamic, Presentation, sRGB
Projector Control	Crestron Integrated Partner, Extron IP Link, AMX Device Discovery, Control4 Simple Device Discovery Protocol

## PRODUCT SPECIFICATIONS

GENERAL	
Power consumption	201 W, 260 W (economy), 144 W (standby)
Product dimensions	325 mm x 299 mm x 90 mm (Width x Depth x Height)
Supply Voltage	AC 220 V - 240 V, 50 Hz - 60 Hz
Included Software	Epson Projector Management
Noise Level	Normal: 37 dB (A) - Economy: 27 dB (A)
Supported Temperature	Storage -10 °C - 60 °C
Supported Humidity	Operation 20 % - 80 %, Storage 10 % - 90 %
Options	Wireless transmitter - ELPWT1
Loudspeaker	16 W
Room Type / Application	Boardroom, Large Meeting Room / Auditorium, Meeting room / Classroom, Home Office
Positioning	Ceiling Mounted, Desktop
Colour	White

### OTHER

## Epson EB-L210W

### WHAT'S IN THE BOX

- Remote control incl. batteries
- Power cable
- Main unit
- HDMI Cable
- User guide
- Warranty card

### OPTIONAL ACCESSORIES

- Air Filter - ELPAF60 - EB-7XX / EB-L2xx Series V13H134A60
- Ceiling mount / Floor stand - ELPMB60B V12H963110
- Ceiling mount / Floor stand - ELPMB60W V12H963210
- Ceiling pipe - ELPPFP13 - 668-918mm V12H003P13
- Ceiling pipe - ELPPFP14 - 918-1168mm V12H003P14
- Control and Connection Box - ELPCB03 V12H927040
- Control and Connection Box - ELPCB03 [240v]
  
- Control and Connection Box - ELPCB03N V12HB11040
- External Speaker - ELPSP02 V12H467040
- External Speaker - ELPSP02 - [240v]