

EH-QL3000B

DATASHEET / BROCHURE



EH-QL3000B

Büyük ölçekli ev eğlencesi için ideal. 6.000 lümen, HDR10 ve değiştirilebilir lens desteği ile 4K 3LCD lazer projektör.

İster film, ister oyun, ister spor simülasyonu — Epson'ın bu inanılmaz yeni projektörünü seveceksiniz. Birçok gelişmiş teknolojiyle 6.000 lümen ultra parlak, etkileyici kalitede görüntüler sunar. 4K çözünürlük, 8,3 milyon piksel süper çözünürlük, HDR10, sahneye uyarlanan gama düzeltme ve Dynamic Tone Mapping ile yüksek görüntü kalitesi sağlar. 4K/120Hz ve Auto Low Latency Mode ile hızlı tempolu oyunlar için akıcı, gecikmesiz bir deneyim sunar. Değiştirilebilir lens desteği sayesinde uzun ve kısa mesafeli lens seçenekleriyle hemen her mekâna uyum sağlar.

KEY FEATURES

- **Büyük ölçekli görüntü teknolojisi**
Filmler, yayın, oyun, spor izleme, ev simülörleri ve daha fazlası için mükemmel büyük ölçekli görüntü teknolojisi
- **Ultra parlak 4K lazer kaynak**
3LCD lazer kaynak; 6.000 lm; 4K (8,3 milyon piksel) süper çözünürlük; yüksek kaliteli, canlı ve geniş görüntüler
- **Gelişmiş 4K özellikleri**
4K kare interpolasyon, HDR10, sahneye uyarlanan gama düzeltme ve Dynamic Tone Mapping ile birlikte 4K/120Hz ve Auto Low Latency Mode
- **Esnek lens uyumu**
Hemen her medya alanında optimum görüntü boyutu ve kalitesi için geniş yelpazede uzun ve kısa mesafeli lenslerle uyumlu

Light, compact and flexible, seamless integration with leading AV control systems means easy maintenance, customisation and scalability

EPSON®

PRODUCT SPECIFICATIONS

EH-QL3000B

TECHNOLOGY	
Projection System	3LCD Technology RGB liquid crystal shutter
LCD Panel	1.04 inches with C2 Fine
IMAGE	
Resolution	4K 384 x 216, 8.3m pixels, 16:9
High Definition	Full HD
Contrast Ratio	5,000,000
Light Source	Laser
Laser Light source	20000 hr Durability High, 20000 hr Durability Eco
Keystone Correction	Manual vertical: 30, Manual horizontal: 45
Colour Video Processing	10 Bits Color
Colour Reproduction	Upto 1.07 billion colours
OPTICAL	
Throw Ratio	1.52 - 2.47:1
Zoom	Digital, Factor: 1 - 1.61
Projection Lens F Number	2.3
CONNECTIVITY	
Interfaces	Jack plug out (1 x), USB 2.-A (2 x), HDMI (HDCP 2.3) (2 x), RS-232C (1 x), USB 2. Type B (Service Only) (1 x)
Network Protocol	PJLink, IPv6
ADVANCED FEATURES	
Security	Kensington lock
Other Features	A/V mute, Direct Power on/off, Frame interpolation, Horizontal and vertical keystone correction, Lens position memory, OSD copy function, Quick Corner, Super resolution
Video Colour Modes	Cinema, Natural, Vivid, Dynamic
Projector Control	AMX Device Discovery, Crestron Integrated Partner, Crestron, Control4 Simple Device Discovery Protocol

PRODUCT SPECIFICATIONS

GENERAL	
Product dimensions	568 mm x 568 mm x 192 mm (Width x Depth x Height)
Heat Dissipation	1,486 BTUperhour
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Supported Temperature	Storage -10 °C - 60 °C
Options	Air filter, Ceiling mount, Suspension adapter, Safety wire set
Room Type / Application	4K Gaming, 4K Streaming, Home Cinema, Sports, TV & Box sets
Positioning	Ceiling Mounted, Desktop
Colour	Black

OTHER

EH-QL3000B

WHAT’S IN THE BOX

- Power cable
- Remote control incl. batteries
- Cable cover
- User guide
- Warranty card

OPTIONAL ACCESSORIES

- Air Filter - ELPAF46 - EB-L107x/-Z9xxx/
Z1000xU/Z11xxx
V13H134A46
- Ceiling Mount - ELPMB67 - EB-L1000/PU1000
V12HA54010
- Ceiling Mount - ELPMB68
V12H006AE0
- Extension Pole - ELPMB70 - For ELPMB68
V12H006AG0
- Lens - ELPLL08 - Long throw - EB-PU Series
V12H004L08
- Lens - ELPLM08 - Mid throw 1 - EB-PU1000
Series
V12H004M08
- Lens - ELPLM10 - Mid throw 3 - EB-PU Series
V12H004M0A
- Lens - ELPLM11 - Mid throw 4 - EB-PU Series
V12H004M0B
- Lens - ELPLM15 - Mid throw - EB-PU Series
V12H004M0F
- Lens - ELPLU03S - Short throw off axis 1 - EB-
PU Series
V12H004UA3