# Epson EB-L210W

## DATASHEET / BROCHURE




EB-L210W

**Best for meeting rooms and classrooms. Affordable WXGA laser projector with 4,500 lumens, wireless display and built-in speakers.**

WXGA compact laser display with high contrast ratio of 2,500,000:1 and 3LCD technology provides pin-sharp image quality and equally high white and colour light output give your presentations impact, even in brightly-lit rooms.Offers MTR auto power-on function by HDMI video signal detection and an array of connectivity options including Dual HDMI and built-in wireless LAN to stream content from laptops or mobile devices with Screen Mirroring (Miracast) - PIN code support and display dialog username when connected Miracast to projector allows teacher to block student interruption while teacher is projecting. USB power supply (2A) for easy smart stick connection. Compatible with iProjection software for easy connectivity with mobile devices and content sharing.Project for longer with exceptional reliability and a longer usage life of up to 30,000 hours in Eco Mode (20,000 hours normal). The EB-L210W is covered by a five-year warranty.Epson iProjection software is compatible with leading platforms and makes it possible to connect with up to 50 computers and partition the screen for split-screen projection capability offering added value.

## KEY FEATURES

- **4,500 lumens brightness display**
  Crisp images and bright colours, even in well-lit rooms.
- **Laser projector**
  Virtually maintenance-free performance for up to 30,000 hours (Eco).
- **Stream and share**
  Wireless, MTR auto power-on by HDMI and easy smart stick connection.
- **Fit and forget reliability**
  Flexible, compact laser projector, comes with five-year warranty.
- **The complete solution**
  With an incredible contrast ratio of 5,000,000:1, the EB-L210W delivers vivid, lifelike content and defined shadow detail with deeper blacks.

# PRODUCT SPECIFICATIONS

Epson EB-L210W

| | |
|---|---|
| **TECHNOLOGY** | |
| Projection System | 3LCD Technology<br>RGB liquid crystal shutter |
| LCD Panel | 0.59 inches with C2 Fine |
| **IMAGE** | |
| Color Light Output | 4500 Lumens - 3100 Lumens (economy) |
| White Light Output | 4500 Lumens - 3100 Lumens (economy) |
| Resolution | WXGA |
| High Definition | HD ready |
| Contrast Ratio | 5,000,000 |
| Light Source | Laser |
| Laser Light source | 20000 hr Durability High, 30000 hr Durability Eco |
| Keystone Correction | Manual vertical: 30, Manual horizontal: 30 |
| Colour Reproduction | Upto 1.07 billion colours |
| **OPTICAL** | |
| Throw Ratio | 1.41 - 2.26:1 |
| Zoom | Digital, Factor: 1 - 1.62 |
| Lens | Optical |
| Screen Size | 30 in - 300 in |
| Projection Lens F Number | 1.77 |
| Projection Lens Focal Length | 29.1 mm |
| Projection Lens Focus | Manual |
| Offset | 10 : 1 |
| **CONNECTIVITY** | |
| Interfaces | VGA out (1 x), Jack plug out (1 x), Cinch audio out (1 x), Miracast (1 x), Wi-Fi Direct (1 x), Composite in (1 x), USB 2.0-A (1 x), Microphone input (1 x), Ethernet interface (100 Base-TX / 10 Base-T) (1 x), VGA in (2 x), Jack plug in (2 x), USB 2.0 (1 x), HDMI (HDCP 2.2) (2 x), Wireless LAN IEEE 802.11a/b/g/n/ac (1 x), RS-232C (1 x) |
| Epson iProjection App | Ad-Hoc / Infrastructure |
| Network Protocol | PJLink, SNMP, HTTPS, IPv6 |
| **ADVANCED FEATURES** | |
| Security | Kensington lock, Padlock, Security cable hole, Wireless LAN unit lock |
| Other Features | Auto Power On, Home Screen, Long light source life, PC Free, Quick Corner, Split-Screen-Function, Wireless LAN capable, iProjection App, Mute key, OSD copy function, AV Mute Slide, Built-in speaker, Document Camera Compatible, Screen Mirroring, CEC compatible |
| Video Colour Modes | Cinema, Dynamic, Presentation, sRGB |
| Projector Control | Crestron Integrated Partner, Extron IP Link, AMX Device Discovery, Control4 Simple Device Discovery Protocol |

EPSON®

## PRODUCT SPECIFICATIONS

| GENERAL | |
|---|---|
| Power consumption | 201 W, 144 W (economy), 0.5 W (standby) |
| Product dimensions | 325 mm x 299 mm x 90 mm (Width x Depth x Height) |
| Supply Voltage | AC 220 V - 240 V, 50 Hz - 60 Hz |
| Included Software | Epson Projector Management |
| Noise Level | Normal: 37 dB (A) - Economy: 27 dB (A) |
| Supported Temperature | Storage -10 °C - 60 °C |
| Supported Humidity | Operation 20 % - 80 %, Storage 10 % - 90 % |
| Options | Wireless transmitter - ELPWT01 |
| Loudspeaker | 16 W |
| Room Type / Application | Boardroom, Large Meeting Room / Auditorium, Meeting room / Classroom, Home Office |
| Positioning | Ceiling Mounted, Desktop |
| Colour | White |

**OTHER**



## WHAT'S IN THE BOX

- Remote control incl. batteries
- Power cable
- Main unit
- HDMI Cable
- User guide
- Warranty card

## OPTIONAL ACCESSORIES

- Air Filter - ELPAF60 - EB-7XX / EB-L2xx Series
- Ceiling mount / Floor stand - ELPMB60B
- Ceiling mount / Floor stand - ELPMB60W
- Ceiling pipe - ELPFP13 - 668-918mm
- Ceiling pipe - ELPFP14 - 918-1168mm
- Control and Connection Box - ELPCB03
- Control and Connection Box - ELPCB03 [240v]
- Control and Connection Box - ELPCB03N
- External Speaker - ELPSP02
- External Speaker - ELPSP02 - [240v]

EPSON®