

Epson L1210

DATASHEET / BROCHURE



EcoTank Home L1210

Best for families who want effortless, ultra-low-cost colour printing in a compact, reliable design.

Say goodbye to cartridges. EcoTank provides hassle-free home printing - the ultra-high capacity ink tanks allow mess-free refills and the key-lock bottles are designed so only the correct colour can be inserted. Keep on saving. This economical printer saves you up to 95% on printing costs* and comes with up to 3 years' worth of ink included in the box**. Print up to 8,100 pages in black and 6,500 in colour*** with the included ink, and a replacement set of ink bottles delivers the equivalent of up to 66 cartridges worth of ink*. Packed with features. Featuring a 100-sheet rear paper tray, borderless photo printing (up to 10x15cm) and print speeds of up to 10 pages per minute****, you can speed through a variety of tasks with ease. Heat-Free Technology. With Micro Piezo Heat-Free Technology you can enjoy reduced energy consumption. The printhead also comes pre-installed so setting up your printer is hassle-free.

KEY FEATURES

- **Ultra-low-cost printing**
Save up to 95% on printing costs* with refillable ink tanks
- **Up to 3 years of ink included****
All included in the box - just add paper for low intervention printing!
- **Number 1 ink tank printer brand worldwide***
Over 100m EcoTank printers sold worldwide*
- **Hassle-free ink tank system**
Plus the EcoTank key-lock bottle system ensures it's mess-free too

EPSON®

PRODUCT SPECIFICATIONS

TECHNOLOGY

| | |
|----------------------|--|
| Printing Method | Epson Micro Piezo™ print head |
| Minimum Droplet Size | 3 pl, With Variable-Sized Droplet Technology |
| Ink Technology | Dye Ink |
| Printing Resolution | 5760 x 1440 DPI |

PRINT

| | |
|------------------------------|---|
| Printing Speed ISO/IEC 24734 | 10 Pages/min Monochrome, 5 Pages/min Colour |
|------------------------------|---|

For detailed information on printing speeds please visit <http://www.epson.eu/testing>.

SCAN

PAPER / MEDIA HANDLING

| | |
|----------------|--|
| Paper Formats | Legal |
| Duplex | Manual |
| Print Margin | 0 mm top, 0 mm right, 0 mm bottom, 0 mm left (Wherever margin is defined. Otherwise 3mm Top, Right, Bottom, Left.) |
| Media Handling | Borderless Print (up to 10 x 15cm) |

GENERAL

| | |
|------------------------------|---|
| Product dimensions | 375 mm x 347 mm x 169 mm (Width x Depth x Height) |
| Compatible Operating Systems | Windows Server 2003 SP2 or later |

OTHER FEATURES

OTHER

LOGISTICS INFORMATION

Epson L1210

WHAT'S IN THE BOX

- Power cable
- Setup guide
- Main unit
- Warranty document
- 4 x 65ml individual ink bottles (Bk,C,Y,M) + 1 extra black ink bottle
- Driver and utilities (CD)

INK COMPATIBILITY

- 103 EcoTank 4-colour Multipack
- 103 EcoTank Black ink bottle
- 103 EcoTank Cyan ink bottle
- 103 EcoTank Magenta ink bottle
- 103 EcoTank Yellow ink bottle

INK YIELD DATA

| | | |
|----------|---------------|---------------|
| Included | * 8,100 Pages | * 6,500 Pages |
|----------|---------------|---------------|

Replacement

1. Based on Epson calculations, the average cost per page saving and the average number of inkjet cartridges required to print the same number of pages as the Epson EcoTank "101" and "103" ink bottles. Comparison between the average yield (A4 prints of ISO/IEC 24711) of EcoTank "101" and "103" bottle series and the genuine consumables (IDC, Hardcopy Peripherals Consumables Tracker, 2020 shipments, published Q1 2021) used within the 25 best-selling consumer A4 inkjet cartridge printers below €100 (exc. tax) in Czech Republic, Hungary, Poland and Turkey (IDC, Quarterly Hardcopy Peripherals Tracker, 2020 shipments, published Q1 2021). Cost per page calculated by dividing the relevant bottle/cartridge sales revenue and the total yield by the unit sales.2. Based on print volume of 100 A4 pages per month and the lowest yield produced from the included set of inks.3. Quoted yields are extrapolated based on Epson original methodology from the print simulation of Test Patterns provided in ISO/IEC 24712 or 29103. Quoted yields are NOT based on ISO/IEC 24711 or 29102. Quoted yields may vary depending on the images that you are printing, the paper type that you are using, the frequency of your prints and environmental conditions such as temperature. During the initial printer setup, a certain amount of ink is used to fill the print head's nozzles, therefore the yield of the initial bundled set will be lower.4. Determined in accordance with ISO/IEC 24734 showing the average of ESAT from the Office Category Test for default simplex. For more information visit the Epson website

EPSON®