EH-QS100B

DATASHEET / BROCHURE



EH-QS100B

Идеально для универсальных жилых пространств. 4K PRO-UHD сверхкороткофокусный лазерный проектор с яркостью 4 500 лм для насыщенных изображений до 160 дюймов.

KEY FEATURES

- **{bСверхкороткофокусная конструкция}**

  Обеспечивая изображения до 160”, даже при размещении близко к проекционной поверхности, EH-QS100B идеален для любых пространств — больших или маленьких.

- **{bРазрешение 4K PRO-UHD}**

  Получите резкую, реалистичную детализацию с 4K PRO-UHD — идеально для домашних развлечений, фильмов и спорта.

- **{bЛазерный источник света 3LCD}**

  Сверхъяркий и долговечный лазерный источник света EH-QS100B обеспечивает до 20 000 часов использования, гарантируя долгую производительность с насыщенными, стабильными цветами.

- **{bВысокая яркость}**

  С яркостью 4 500 лм EH-QS100B обеспечивает резкие, насыщенные изображения даже в светлых помещениях, что делает его идеальным для дневного просмотра и хорошо освещённых пространств.

- **{bПоддержка HDR10}**

  Благодаря поддержке HDR10, которая улучшает контрастность и цветопередачу, EH-QS100B обеспечивает более глубокие оттенки черного и яркие цвета, обеспечивая захватывающие ощущения от просмотра.

PRODUCT SPECIFICATIONS

EH-QS100B

TECHNOLOGY	
Projection System	RGB liquid crystal shutter 3LCD Technology
LCD Panel	0.62 inches with C2 Fine
IMAGE	
Resolution	4K PRO-UHD
High Definition	4K enhancement
Contrast Ratio	5,000,000
Light Source	Laser
Laser Light source	20000 hr Durability High, 20000 hr Durability Eco
Colour Video Processing	10 Bits Color
Colour Reproduction	Upto 1.07 billion colours
OPTICAL	
Throw Ratio	0.16 - 0.22:1
Zoom	Digital, Factor: 1 - 1.35
Lens	Оптика
Screen Size	60 in - 160 in
Projection Lens Focus	Manual
Offset	7 : 1
CONNECTIVITY	
Interfaces	USB 2. типа A (2 x), HDMI ARC (1 x), USB 2. Type B (Service Only) (1 x), HDMI-вход (2 x), Сетевой интерфейс Ethernet (1 Base-TX / 1 Base-T) (1 x)
Network Protocol	ESC/VP.net, PJLink, IPv6
ADVANCED FEATURES	
Security	Кенсингтонский замóк
Other Features	4K enhancement, Auto Power On, Auto source search, CEC compatible, Digital zoom, Интерполяция фрейма, ISF certification, Long light source life, Функция Quick Corner – коррекция трапецеидальных искажений по вертикали и горизонтали
Projector Control	Crestron Integrated Partner, Crestron, AMX Device Discovery, Control4 Simple Device Discovery Protocol

EPSON®

PRODUCT SPECIFICATIONS

GENERAL	
Product dimensions	695 mm x 341 mm x 156 mm (Width x Depth x Height)
Heat Dissipation	1,132.2 BTUperhour
Supply Voltage	AC 220 V - 240 V, 50 Hz - 60 Hz
Included Software	Epson Projector Content Manager, Epson Setting Assistant
Supported Temperature	Storage -10 °C - 60 °C
Supported Humidity	Operation 20 % - 80 %, Storage 10 % - 90 %
Room Type / Application	Стриминг в разрешении 4K, Домашний кинотеатр, Sports, TV
Positioning	Крепление на стол, Установка на стену, Установка на TV-тумбу
Colour	Black

OTHER

EH-QS100B

WHAT'S IN THE BOX

- Токоподводящий кабель
- Пульт дистанционного управления с батарейками
- User guide
- Warranty card

OPTIONAL ACCESSORIES

- Air Filter - ELPAF64 - EH-LS800
- Ceiling Mount - ELPMB22 - White
- Ceiling Mount - ELPMB30 - Low profile
- Ceiling pipe - ELPFP13 - 668-918mm
- Ceiling pipe - ELPFP14 - 918-1168mm
- Laser TV 100" ALR Screen - ELPSC35
- Laser TV 120" ALR Screen - ELPSC36
- Safety Wire - ELPWR01
- Wall Mount - ELPMB75 - EB-810E

EPSON®