Epson EB-1485Fi



EB-1485Fi

Ідеально для професійних середовищ. Універсальний 3LCD-проєктор для використання в бізнесі та освіті.

Проводьте впливові сесії з мультидотиковим дисплеєм до 100 дюймів (16:9 самостійно), 120 дюймів (16:6 самостійно) або 155 дюймів за допомогою функції DuoLink від Epson, яка поєднує два інтерактивних дисплеї за допомогою вбудованого зрощення країв. Інтуїтивний та простий у користуванні інтерфейс, дотиковий головний екран та інтерактивне меню екранної індикації спрощують налаштування та навігацію функціями. Має мультидотикові можливості пера та пальців, бездротове підключення BYOD і дзеркалювання екрана (Miracast). Також має безпечні засоби співпраці користувачів і набір потужних варіантів підключення — як бездротових, так і дротових, зокрема HDBaseT[1] та вихід HDMI. Програма Epson iProjection безкоштовна, забезпечуючи бездоганне бездротове підключення та керування співпрацею з кількох пристроїв і платформ. Вона сумісна з Windows, пакетом Office 365 та iOS, дозволяючи використовувати програми через ПК і планшети. Об'єднуйте до чотирьох джерел, таких як системи відеоконференцзв'язку з кількох відеоджерел і презентацій, щоб оптимізувати взаємодію на зустрічах. Використовуйте до 20 000 годин без жодного обслуговування з п'ятирічною гарантією. Допомагає зменшити експлуатаційні витрати, що означає, що ви можете «встановити та забути» і продовжувати виконувати поточне завдання. [1]HDBaseT сумісний ЛИШЕ з controlPad.

DATASHEET / BROCHURE

LASER

KEY FEATURES

- **Гнучкі варіанти та розміри дисплея**

  Відповідає потребам користувача в будь-якому робочому середовищі

- **Все-в-одному інтерактивний дисплей для зустрічей**

  Поєднує кілька ресурсів в одному інтерактивному пристрої для співпраці

- **Підвищена продуктивність і гнучка робота**

  Поділитися та відобразити контент з ряду пристроїв одночасно

- **Ковзний розділений екран**

  До чотирьох дисплеїв в одному зображенні — проєктуйте зображення з різних джерел

- **Просте встановлення**

  Швидке налаштування з функцією автоматичного налаштування калібрування

EPSON

PRODUCT SPECIFICATIONS

Epson EB-1485Fi

TECHNOLOGY	
Projection System	3LCD Technology
LCD Panel	0.62 inches with C2 Fine
IMAGE	
Color Light Output	5000 Lumens - 3500 Lumens (economy)
White Light Output	5000 Lumens - 3500 Lumens (economy)
Resolution	18p
Contrast Ratio	5,000,000
Light Source	Laser
Laser Light source	20000 hr Durability High, 30000 hr Durability Eco
Keystone Correction	Manual vertical: 3, Manual horizontal: 3
Colour Video Processing	10 Bits Color
Colour Reproduction	Upto 1.07 billion colours
OPTICAL	
Throw Ratio	0.27 - 0.37:1
Zoom	Digital, Factor: 1 - 1.35
Lens	Optical
Screen Size	65 in - 100 in
Projection Distance Wide	0.4 m (65 inch screen)
Projection Distance Tele	0.6 m (100 inch screen)
Projection Lens F Number	1.5
Projection Lens Focal Length	3.9 mm
Projection Lens Focus	Manual
Offset	9 : 1
CONNECTIVITY	
Interfaces	Multi-Touch interface (1 x), VGA out (1 x), HDMI out (1 x), HDMI in (3 x), Component in (1 x), Powered USB (1 x), USB 2. (2 x), Jack plug in (3 x), Wi-Fi Direct (1 x), Wireless LAN IEEE 82.11a/b/g/n/ac (1 x), Sync. in (1 x), Microphone input (1 x), Miracast (1 x), VGA in (2 x), USB 2.-A (2 x), HDBaseT (1 x), Finger-touch interface (1 x), Jack plug out (1 x), RS-232C (1 x), Ethernet interface (1 Base-TX / 1 Base-T) (1 x), Sync. out (1 x)
Epson iProjection App	Ad-Hoc / Infrastructure
Network Protocol	PJLink, SNMP, IPv6, IPv4, HTTPS, ESC/VP.net
ADVANCED FEATURES	
Security	Kensington lock, Password protection, Padlock, Wireless LAN security, Control panel lock, Password lock
Other Features	Auto Power On, Auto Calibration, Built-in speaker, Customizable user logo, Digital zoom, Direct Power on/off, Dual Pen Support, Email notification, Finger-touch support, Freeze image, Instant on/off, Interactive, Microphone input, OSD copy function, PC Interactive, iProjection App, Easy OSD pre-setting, Network administration, Quick Corner, Sliding split-screen feature, Super resolution, Wireless LAN capable, iProjecton set-up by QR code, CEC compatible, Interactive OSD menu, Document Camera Compatible, Driverless installation, Split-Screen-Function, Screen share, Set-up wizard, Screen Mirroring, Fit to Screen, Image Shift, Arc Correction, Schedule Function, Web Control, Web Remote, Projection App for Chromebook, PC free annotation, Mail notification function, Whiteboard sharing function
Video Colour Modes	Blackboard, Dynamic, Cinema, Presentation, sRGB, DICOM SIM
Projector Control	AMX, Crestron, Extron, Crestron (RS-232c only), Crestron Integrated Partner, Crestron RoomView, Extron IP Link, Extron XTP, AMX Device Discovery, Control4 Simple Device Discovery Protocol

EPSON®

PRODUCT SPECIFICATIONS

GENERAL	
Power consumption	293 W, 195 W (economy), 0.5 W (standby)
Product dimensions	458 mm x 375 mm x 209.5 mm (Width x Depth x Height)
Heat Dissipation	1,244 BTUperhour
Supply Voltage	AC 220 V - 240 V, 50 Hz - 60 Hz
Compatible Operating Systems	Windows 10 (32/64 bit)
Included Software	Easy Interactive Tools, Epson Projector Management, EasyMP Multi PC Projection
Noise Level	Normal: 36 dB (A) - Economy: 36 dB (A)
Supported Temperature	Storage -10 °C - 60 °C
Options	Pen tip(Felt), Pen tip(Teflon), External Speaker, Document camera, Wireless LAN unit
Loudspeaker	16 W
Room Type / Application	Boardroom, Meeting room / Classroom, Huddle space / Portable
Positioning	Wall Mounted, Table Mounted
Colour	White

OTHER

WHAT'S IN THE BOX

- CD Manual
- Interactive pens
- Power cable
- Remote control incl. batteries
- Pen Holder/Stand
- Cable cover
- 2 x Pen tip(Teflon)
- 4 x Pen tip(Felt)
- Control Box - HCB (HDBaseT Connection & Control Box)
- Wall hanging bracket
- Finger touch unit
- Safety Cable
- Installation/safety manual
- Warranty Documents
- Corner markers for auto screen adjustment

OPTIONAL ACCESSORIES

- Air Filter - ELPAF56 - L600/EB-14XX Series
  V13H134A56
- ELPMB63 - Finger Touch Wall Bracket for ELPFT01
  V12HA05A09
- External Speaker - ELPSP02
  V12H467040
- External Speaker - ELPSP02 - [240v]

- Interactive Pen - ELPPN05A - Orange - EB-6xxWi/Ui / 14xxUi
  V12H773010
- Interactive Pen - ELPPN05B - Blue - EB-6xxWi/Ui / 14xxUi
  V12H774010
- Replacement Hard Pen Tip - ELPPS03 (6pcs)
  V12H775010
- Replacement Soft Pen Tip - ELPPS04 (12pcs)
  V12H776010
- Safety Wire - ELPWR01
  V12H003W01
- Wireless LAN Adapter - ELPAP11 (2.4GHz & 5GHz)
  V12H005A01

EPSON®