DATASHEET / BROCHURE

EB-L890E



KEY FEATURES

EB-L890E

Best for meeting rooms and lecture halls. 4K Enhanced 3LCD laser projector with wide lens shift and quiet 26dB operation.

Delivering sharp, bright images with up to 4.6 million pixels, this budget-friendly laser projector is perfect for large displays in professional spaces.

- **Compact design with scalable images up to 500”**

  A lightweight design that simplifies transport and installation while delivering scalable images up to 500” for high-quality performance in any environment.

- **Effortless, flexible installation**

  A fixed centre lens display with a wide lens shift and advanced installation features, ensuring an easy and adaptable setup for any environment.

- **Quiet operation**

  Provides high-performance display at a low noise level of 26dB in Eco mode, ensuring a quiet and focused environment for presentations and meetings.

- **Making sustainable choices with Epson**

  Made from 19% recycled plastics, low power consumption, reduced packaging and a usage life of up to 30,000 hours in Eco mode (20,000 hours normal).

EPSON®

EB-L890E

PRODUCT SPECIFICATIONS

TECHNOLOGY	
Projection System	3LCD Technology RGB liquid crystal shutter
LCD Panel	inches with C2 Fine 0.67
IMAGE	
Color Light Output	(Lumens - 5600 Lumens (economy 8000
White Light Output	(Lumens - 5600 Lumens (economy 8000
Resolution	WUXGA
High Definition	4K משופר
Contrast Ratio	5,000,000
Light Source	לייזר
Laser Light source	hr Durability High, 30000 hr Durability Eco 20000
Keystone Correction	Manual vertical: 30, Manual horizontal: 30
Colour Video Processing	Bits Color 10
Colour Reproduction	Upto 1.07 billion colours
OPTICAL	
Throw Ratio	2.2:1 - 1.35
Zoom	Digital, Factor: 1 - 1.6
Lens	אופטיקה
Screen Size	in - 500 in 50
Projection Lens F Number	1.7
Projection Lens Focal Length	mm 31.8
Projection Lens Focus	Manual
CONNECTIVITY	
Interfaces	תקשורת טווח אפס (NFC) (1 x), RS-232C (1 x), USB 2. Type B (שירות בלבד) (1 x), HDMI (1 x)) HDCP 2.3) x 2))، ממשק Ethernet (1 x) (1 Base-TX / 1 Base-T)، מחבר תקע יוצא (1 x)، יציאת IEEE (LAN)، HDMI (1 x) (1 x) Miracast، (1 x) HDBaseT، (2 x) USB 2.-A، (1 x) WiFi 5(802.11a/b/g/n/ac)
Epson iProjection App	אד הוק/תשתית
Network Protocol	HTTPS, SNMP, ESC/VP.net, PJLink
ADVANCED FEATURES	
Security	Kensington-הגנה, חסימת שדה שירות, מנעול, Security cable hole, נעילת יחידת LAN אלחוטית, הגנת סיסמה
Other Features	aspect ratio support, 4K 21:9 משופר, A/V mute, הפעלה אוטומטית, רמקול מובנה, לוגו משתמש הניתן להתאמה אישית, Direct Power on/off, תואם מצלמת מסמכים, מיזוג שוליים, מסך הבית, הצגת JPEG, הקרנה ברשת, תצוגת מסך OSD, ללא מחשב, Point correction, Quick Corner, פונקציית תזמון, פונקציית מסך חצוי, תצוגה אולטה רחבה (16:6), בקרה דרך האינטרנט, Web Remote, תמיכה ב- LAN אלחוטי, אפליקציית iProjection, שיקוף מסך
Video Colour Modes	קולנוע, דינמי, טבעי, מצגת, DICOM SIM, Multi Projection, BT79
Projector Control	Crestron Integrated Partner, Extron XTP, AMX Device Discovery

EPSON®

EB-L890E

WHAT'S IN THE BOX

- Main unit
- כבל חשמלי
- שלט רחוק כולל סוללות
- הוראות הפעלה
- מסמכי אחריות
- מדריך להתחלה מהירה

<STEPTABLE TT="١٣٥١٠٧" />

PRODUCT SPECIFICATIONS

GENERAL	
Power consumption	(W, 266 W (economy), 0.4 W (standby 388
Product dimensions	(mm x 340 mm x 138 mm (Width x Depth x Height 440
Supply Voltage	AC 10 V - 240 V, 50 Hz - 60 Hz
Noise Level	(Normal: 36 dB (A) - Economy: 26 dB (A
Supported Temperature	Storage -10 °C - 60 °C
Supported Humidity	% Operation 20 % - 80 %, Storage 10 % - 90
Options	מסנן אוויר, Camera module, מחזיק לתקרה, מצלמת מסמכים, רמקול חיצוני, משדר HDBaseT, ערכת חיווט אבטחה, Suspension adapter, WP System - ELPWP20
Loudspeaker	W 10
Room Type / Application	חדר ישיבות, חדר ישיבות גדול/אודיטוריום, חדר ישיבות/כיתה, מיפוי הקרנה, השכרה/בימוי, שילוט/קמעונאות, אטרקציות למבקרים
Positioning	הרכבה על התקרה, שולחני
Colour	White
OTHER	

EPSON®