# Epson EB-760WI




EB-760WI

**Best for collaborative workspaces and classrooms. Ultra-short-throw interactive laser display with 4,100 lumens.**

The EB-760Wi is a step up from the EB-760W, with added interactive features.Interactive technology enables two digital pens to be used simultaneously on the display (finger touch available through optional accessory FT01). Presentations can be controlled and brought to life with on-screen annotations, while a variety of convenient built-in tools support productivity. An optional Epson visualiser camera can be controlled via the display, projecting documents or objects from a desk for everyone to see in incredible HD detail. The ultra short throw lens allows safe, discreet positioning above the display, enabling presenters free access to interact without casting shadows.With a 4,100 lumens laser-light source, combined with 3LCD technology, it produces a large, bright and vibrant display up to 100”, visibly clear from all angles and at a distance.Versatile wired and wireless connectivity options, including screen mirroring via Miracast™, allow participants to effortlessly share content from their PCs or mobile devices.Unlike a flat-panel display, there is no heavy, breakable, glass panel to create disruptive, reflected blind spots from certain angles, and presenters are not subjected to LCD panel direct blue light radiation, believed to damage eyes.

## DATASHEET / BROCHURE

LASER

## KEY FEATURES

- **Interactive HD display for any room**

  53-100” UST display for unrestricted viewing (no shadows/reflections)
- **Bright and energy efficient laser**

  4,100lm CLO with 3LCD technology for brighter colours at only 205W
- **Effortless connectivity options**

  Auto-on, wired / wireless display with USB 2A output for smart sticks
- **Simple to use and built to last**

  Virtually maintenance free with 5-year, 12,000hr warranty
- **Document camera compatibility**

  Create and record a live, totally immersive lesson or presentation

EPSON®

# PRODUCT SPECIFICATIONS

Epson EB-760Wi

| | |
|---|---|
| **TECHNOLOGY** | |
| Projection System | 3LCD Technology<br>RGB liquid crystal shutter |
| LCD Panel | 0.59 inches with C2 Fine |
| **IMAGE** | |
| Color Light Output | 4100 Lumens - 2800 Lumens (economy) |
| White Light Output | 4100 Lumens - 2800 Lumens (economy) |
| Resolution | WXGA |
| High Definition | HD ready |
| Contrast Ratio | 5,000,000 |
| Light Source | Laser |
| Laser Light source | 20000 hr Durability High, 30000 hr Durability Eco |
| Keystone Correction | Manual vertical: 3, Manual horizontal: 3 |
| Colour Video Processing | 10 Bits Color |
| Colour Reproduction | Upto 1.07 billion colours |
| **OPTICAL** | |
| Throw Ratio | 0.27 - 0.37:1 |
| Zoom | Digital, Factor: 1 - 1.35 |
| Lens | Optical |
| Screen Size | 53 in - 100 in |
| Projection Lens F Number | 1.6 |
| Projection Lens Focal Length | 3.7 mm |
| Projection Lens Focus | Manual |
| Offset | 6 : 1 |
| **CONNECTIVITY** | |
| Interfaces | Jack plug out (1 x), USB 2.0-A (2 x), Wireless LAN IEEE 802.11a/b/g/n/ac (1 x), Ethernet interface (100 Base-TX / 10 Base-T) (1 x), Miracast (1 x), Microphone input (1 x), HDMI in (3 x), VGA out (1 x), USB 2.0 Type B (Service Only) (2 x), Wi-Fi Direct (1 x), VGA in (2 x), Composite in (1 x), Jack plug in (3 x), RS-232C (1 x) |
| Epson iProjection App | Ad-Hoc / Infrastructure |
| Network Protocol | IPv6, PJLink, ESC/VP.net, SNMP, HTTPS, IPv4 |
| **ADVANCED FEATURES** | |
| Security | Kensington lock, Padlock, Security cable hole, Wireless LAN unit lock, Password protection, Wireless LAN security, Control panel lock, Password lock |
| Other Features | A/V mute, Arc Correction, Auto Power On, Auto source search, Built-in speaker, Customizable user logo, Digital zoom, Direct Power on/off, Document Camera Compatible, Email notification, Horizontal and vertical keystone correction, Image Shift, JPEG Viewer, Long light source life, OSD copy function, Network projection, PC Free, Power on button, Quick Corner, Schedule Function, Screen Mirroring, Web Control, Web Remote, Wireless LAN capable, iProjection App, Home Screen, iProjecton set-up by QR code, Whiteboard sharing function, Split-Screen-Function, CEC compatible, Dual Pen Support, Easy OSD pre-setting, Instant on/off, Interactive, Interactive Home Screen, Interactive OSD menu, Mail notification function, Microphone input, Network administration, PC Interactive, PC free annotation, Projection App for Chromebook |
| Video Colour Modes | Dynamic, Cinema, Presentation, sRGB, Blackboard |
| Projector Control | Crestron Integrated Partner, Crestron RoomView, Extron IP Link, Control4 Simple Device Discovery Protocol, AMX Device Discovery |

EPSON®

## PRODUCT SPECIFICATIONS

| GENERAL | |
|---|---|
| Power consumption | 199 W, 141 W (economy), 0.5 W (standby) |
| Heat Dissipation | 895 BTUperhour |
| Product dimensions | 356 mm x 395 mm x 133 mm (Width x Depth x Height) |
| Supply Voltage | AC 100 V - 240 V, 50 Hz - 60 Hz |
| Included Software | EasyMP Multi PC Projection, Epson Projector Management, Easy Interactive Tools |
| Noise Level | Normal: 37 dB (A) - Economy: 27 dB (A) |
| Supported Temperature | Storage -10 °C - 60 °C |
| Supported Humidity | Operation 20 % - 80 %, Storage 10 % - 90 % |
| Options | Pen tip(Teflon) |
| Loudspeaker | 16 W |
| Room Type / Application | Meeting room / Classroom |
| Positioning | Ceiling Mounted, Desktop, Wall Mounted |
| Colour | White |

**OTHER**



## WHAT'S IN THE BOX

- Power cable
- Remote control incl. batteries
- Interactive pens
- 2 x Pen tip(Teflon)
- 4 x Pen tip(Felt)
- Pen Holder/Stand
- Quick Start Guide
- USB cable
- Projector feet
- Warranty document
- Corner markers for auto screen adjustment

## OPTIONAL ACCESSORIES

- Air Filter - ELPAF60 - EB-7XX / EB-L2xx Series
  V13H134A60
- Ceiling pipe - ELPFP13 - 668-918mm
  V12H003P13
- Ceiling pipe - ELPFP14 - 918-1168mm
  V12H003P14
- Control and Connection Box - ELPCB03
  V12H927040
- Control and Connection Box - ELPCB03 [240v]
- Control and Connection Box - ELPCB03N
  V12HB11040
- ELPFT01 - Finger Touch Unit
  V12H007A24
- Wall Mount - ELPMB62 - EB-7xx / EB-8xx
  V12HA06A06
- ELPMB63 - Finger Touch Wall Bracket for ELPFT01
  V12HA05A09
- External Speaker - ELPSP02
  V12H467040

EPSON®