

Epson EB-760WI



EB-760WI

Інтерактивний екран, який стане поштовхом до ще вищої продуктивності в будь-якому робочому середовищі. Спрямований на задоволення потреб користувачів і об'єднання людей для покращення комунікації.

EB-760Wi — це крок уперед у порівнянні з EB-760W завдяки додатковим інтерактивним функціям. Інтерактивна технологія дозволяє одночасно використовувати на дисплеї дві цифрові ручки (керування пальцями доступне за наявності додаткового обладнання FT01). Презентації можна контролювати та оживляти за допомогою приміток на екрані, тоді як різноманітні зручні вбудовані інструменти підтримують продуктивність. За допомогою дисплея можна контролювати додаткову документ-камеру Epson, проєктуючи документи або об'єкти, не встаючи з-за столу, щоб усі могли переглядати зображення з неймовірним рівнем деталізації у форматі HD. Ультракотрофокусний об'єктив дозволяє безпечно й непомітно розміщувати над дисплеєм, що дає змогу доповідачам вільно взаємодіяти без створення тіней. Завдяки лазерному джерелу світла з яскравістю 4100 люменів у поєднанні з технологією 3LCD система відтворює велике та яскраве зображення з діагоналлю до 100 дюймів, яке чітко видно під будь-яким кутом і на відстані. Універсальні варіанти дротового та бездротового підключення, включно з дублюванням екрана за допомогою Miracast™, дають змогу учасникам легко ділитися вмістом зі своїх ПК або мобільних пристроїв. На відміну від плоского екрана, тут немає важкої скляної панелі, яка може розбитися та створює деструктивні, відбивані сліпі плями під певними кутами. До того ж доповідачі не піддаються впливу прямого випромінювання синього світла від РК-панелі, яке вважається шкідливим для очей.

DATASHEET / BROCHURE



KEY FEATURES

- **Інтерактивний HD-дисплей для будь-якого середовища**
УКФ дисплей із діагоналлю від 53 до 100 дюймів для необмеженого перегляду (без тіней/відблисків)
- **Яскраве й енергоефективне лазерне рішення**
Колірна яскравість 4100 лм із технологією 3LCD для яскравіших кольорів при потужності лише 205 Вт
- **Зручні варіанти підключення**
Дротовий/бездротовий дисплей з автоматичним увімкненням, із виходом USB 2 A для смарт-маніпуляторів
- **Просте використання та довговічність**
Практично не потребує технічного обслуговування з гарантією на 5 років або 12 000 годин
- **Сумісність із документ-камерою**
Створіть та записуйте живі уроки або презентації з ефектом присутності

PRODUCT SPECIFICATIONS

Epson EB-760WI

TECHNOLOGY

Projection System	3LCD Technology RGB liquid crystal shutter
LCD Panel	0.59 inches with C2 Fine

IMAGE

Color Light Output	4100 Lumens - 2800 Lumens (economy)
White Light Output	4100 Lumens - 2800 Lumens (economy)
Resolution	WXGA
High Definition	HD ready
Contrast Ratio	5,000,000
Light Source	Laser
Laser Light source	20000 hr Durability High, 30000 hr Durability Eco
Keystone Correction	Manual vertical: 3, Manual horizontal: 3
Colour Video Processing	10 Bits Color
Colour Reproduction	Upto 1.07 billion colours

OPTICAL

Throw Ratio	0.27 - 0.37:1
Zoom	Digital, Factor: 1 - 1.35
Lens	Optical
Screen Size	53 in - 100 in
Projection Lens F Number	1.6
Projection Lens Focal Length	3.7 mm
Projection Lens Focus	Manual
Offset	6 : 1

CONNECTIVITY

Interfaces	HDMI in (3 x), Microphone input (1 x), Ethernet interface (1 Base-TX / 1 Base-T) (1 x), Wi-Fi Direct (1 x), Jack plug out (1 x), Composite in (1 x), USB 2.-A (2 x), RS-232C (1 x), USB 2. Type B (Service Only) (2 x), Wireless LAN IEEE 802.11a/b/g/n/ac (1 x), Miracast (1 x), VGA in (2 x), Jack plug in (3 x), VGA out (1 x)
Epson iProjection App	Ad-Hoc / Infrastructure
Network Protocol	IPv6, PjLink, ESC/VP.net, SNMP, HTTPS, IPv4

ADVANCED FEATURES

Security	Kensington lock, Padlock, Security cable hole, Wireless LAN unit lock, Password protection, Wireless LAN security, Control panel lock, Password lock
Other Features	A/V mute, Arc Correction, Auto Power On, Auto source search, Built-in speaker, Customizable user logo, Digital zoom, Direct Power on/off, Document Camera Compatible, Email notification, Horizontal and vertical keystone correction, Image Shift, JPEG Viewer, Long light source life, OSD copy function, Network projection, PC Free, Power on button, Quick Corner, Schedule Function, Screen Mirroring, Web Control, Web Remote, Wireless LAN capable, iProjection App, Home Screen, iProjecton set-up by QR code, Whiteboard sharing function, Split-Screen-Function, CEC compatible, Dual Pen Support, Easy OSD pre-setting, Instant on/off, Interactive, Interactive Home Screen, Interactive OSD menu, Mail notification function, Microphone input, Network administration, PC Interactive, PC free annotation, Projection App for Chromebook
Video Colour Modes	Dynamic, Cinema, Presentation, sRGB, Blackboard
Projector Control	Crestron Integrated Partner, Crestron RoomView, Extron IP Link, Control4 Simple Device Discovery Protocol, AMX Device Discovery

EPSON[®]

PRODUCT SPECIFICATIONS

GENERAL	
Power consumption	197 W, 263 W (economy), 141 W (standby)
Product dimensions	356 mm x 395 mm x 133 mm (Width x Depth x Height)
Heat Dissipation	895 BTUperhour
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Included Software	EasyMP Multi PC Projection, Epson Projector Management, Easy Interactive Tools
Noise Level	Normal: 37 dB (A) - Economy: 27 dB (A)
Supported Temperature	Storage -10 °C - 60 °C
Supported Humidity	Operation 20 % - 80 %, Storage 10 % - 90 %
Options	Pen tip(Teflon)
Loudspeaker	16 W
Room Type / Application	Meeting room / Classroom
Positioning	Ceiling Mounted, Desktop, Wall Mounted
Colour	White

OTHER

Epson EB-760WI

WHAT'S IN THE BOX

- Power cable
- Remote control incl. batteries
- Interactive pens
- 2 x Pen tip(Teflon)
- 4 x Pen tip(Felt)
- Pen Holder/Stand
- Quick Start Guide
- USB cable
- Projector feet
- Warranty document
- Corner markers for auto screen adjustment

OPTIONAL ACCESSORIES

- Air Filter - ELPAF60 - EB-7XX / EB-L2xx Series V13H134A60
- Ceiling pipe - ELPFP13 - 668-918mm V12H003P13
- Ceiling pipe - ELPFP14 - 918-1168mm V12H003P14
- Control and Connection Box - ELPCB03 V12H927040
- Control and Connection Box - ELPCB03 [240v]

- Control and Connection Box - ELPCB03N V12HB11040
- ELPFT01 - Finger Touch Unit V12H007A24
- Wall Mount - ELPMB62 - EB-7xx / EB-8xx V12HA06A06
- ELPMB63 - Finger Touch Wall Bracket for ELPFT01 V12HA05A09
- External Speaker - ELPSP02 V12H467040