

WorkForce Enterprise WF-M21000 D4TW

DATASHEET / BROCHURE



WorkForce Enterprise WF-M21000 D4TW

Best for enterprise teams that need 100 ppm mono output with low energy use and minimal consumable replacements.

Superior quality at high speeds.

The WorkForce Enterprise WF-M21000 delivers superior image quality at print speeds of up to 100ppm and a fast first copy out time (FCOT) of 4.9 seconds³.

Super high ink yield.

Print up to 120,000 in mono without changing the ink supplies.¹ This means there is even less need for user intervention. Through fewer consumables and supplies, it also produces less packaging. With ultra-low power consumption, the overall environmental impact of printing is cut dramatically. Robust, high-end finishing capability.

With advanced finishing such as booklet finisher and hole punch options, this device offers advanced finishing capability. It also offers a high paper capacity of up to 5,350 pages, increasing productivity further. Heat-Free technology.

Epson Heat-Free PrecisionCore Technology requires no heat to warm up when it is switched on or awoken from sleep, which significantly reduces energy consumption. This allows Epson's Heat-Free inkjets to deliver a fast FCOT compared to laser technology.

Advanced software solution compatibility.

A variety of software solutions can be integrated into existing IT infrastructure to improve efficiency. This includes Epson's Epson Remote Services (ERS) which offers cloud-based device monitoring and management system that delivers advanced remote diagnostics for Epson business products.

KEY FEATURES

- **Faster performance**

Fast FCOT of 4.9 seconds³ and print speeds of up to 100ppm

- **High capacity ink yield**

Users can print up to 120,000 without changing the ink supplies¹

- **Improved finishing capability**

Robust finishing such as booklet finisher and hole punch options

- **Powerful scanning capability**

Thin paper support and improved quality of scanning

- **Works with Epson Remote Services**

Cloud based, advanced diagnosis of Epson printers and MFPs

EPSON[®]

PRODUCT SPECIFICATIONS

TECHNOLOGY

Printing Method	PrecisionCore™ Micro TFP printhead
Ink Technology	DURABrite™ Pro
Printing Resolution	600 x 2400 DPI

PRINT

For detailed information on printing speeds please visit <http://www.epson.eu/testing>.

SCAN

Scanner Type	Contact image sensor (CIS)
--------------	----------------------------

PAPER / MEDIA HANDLING

Paper Formats	User defined
Duplex	Yes (A4/A3, plain paper)
Print Margin	0 mm top, 0 mm right, 0 mm bottom, 0 mm left (Wherever margin is defined. Otherwise 3mm Top, Right, Bottom, Left.)
Media Handling	Duplex (A4/A3, plain paper)

GENERAL

Product dimensions	674 mm x 757 mm x 1243 mm (Width x Depth x Height)
Compatible Operating Systems	Mac OS X 10.6.8, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Mac OS 10.10.x, Mac OS X 10.11.x, Windows Server 2008 R2, Windows 10 (32/64 bit), Windows 8.1 (32/64 bit), Windows 7 (32/64 bit), Windows 8 (32/64 bit), Windows Vista (32/64 bit), Windows XP SP3 or later (32-bit), Windows XP SP3, Windows Server 2003 SP2 or later, Windows Server 2003 R2 x64, XP Professional x64 Edition SP2, Windows Server 2003 SP2, Windows Server 2016, Mac OS X 10.12.x, Mac OS X 10.13.x, Windows 11
WLAN Security	WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP), WPA PSK (AES)

OTHER FEATURES

Panel	Type: Colour, Diagonal: 22.7
Features	Touchscreen

OTHER

LOGISTICS INFORMATION

SKU	C11CJ87401BX
EAN Code	8715946693750
Country Of Origin	Indonesia

WorkForce Enterprise WF-M21000 D4TW

WHAT'S IN THE BOX

- Information sheet
- Power cable
- User guide

INK COMPATIBILITY

- WFE Paper Feed Roller for Cassette
- WFE WF-C17590/C20590//C20600/20750/C21000 Maintenance Box
- WorkForce Enterprise WF-M20590 Black Ink

INK YIELD DATA

Included

Replacement

¹Approx. page yield with the WF-M21000. Actual yield will vary depending on images printed and usage conditions. For more information visit www.epson.eu/pageyield.²Fax optional in certain territories at an additional cost. Please contact your local Epson office for more information.³Approx. based on internal testing; may vary depending on the number of copies selected, the output environment, as well as the settings for size, orientation, position of paper.

EPSON[®]