

# Epson EB-992F



## EB-992F

**Best for versatile business display. Full HD 4,000-lumen projector with built-in wireless, Screen Mirroring and 17,000-hour lamp life.**

With this Full HD projector content will be bright, vivid and clear ensuring that everyone can engage with the lesson. Providing excellent visibility, this projector is scalable up to 300 inches and is bright even in high ambient lighting conditions. It's all thanks to the high 4,000-lumen output and 16,000:1 contrast ratio. Every working environment is different so you need a projector that is simple to set up and position. With our wide 1.6x optical zoom and vertical/horizontal keystone correction, it's easy to get up and running quickly. When resources are limited, our reliable projectors and long-lasting lamps (17,000 hours in Eco mode) help to eliminate downtime and unnecessary service costs. Imagine what you could achieve with minimal interruptions - our projectors provide years of use before a replacement lamp is required. Capture your audiences' attention and nurture a collaborative environment with hassle-free connectivity solutions. With the iProjection App<sup>1</sup>, it's easy to display content from PCs and smart devices. The split-screen function can be utilised to show content from multiple devices simultaneously, while the moderator function lets you review content before it is displayed. This projector has a built-in 16W speaker to allow audio content to be heard clearly, without the need for additional external speakers.

## KEY FEATURES

- **Full HD bright and vivid wireless display**  
3LCD technology and equally high White and Colour Light Output
- **Minimal maintenance**  
Years of uninterrupted use before maintenance is required
- **Stream and share connectivity**  
Built-in wireless connectivity and Screen Mirroring
- **Smart cost savings**  
Lamp life up to 17,000 hours in Eco mode
- **Collaborative features**  
iProjection App<sup>1</sup>, split-screen function, moderator function

## PRODUCT SPECIFICATIONS

Epson EB-992F

### TECHNOLOGY

Projection System	3LCD Technology RGB liquid crystal shutter
LCD Panel	0.61 inches with C2 Fine

### IMAGE

Color Light Output	4000 Lumens - 2400 Lumens (economy)
White Light Output	4000 Lumens - 2400 Lumens (economy)
Resolution	1080p
High Definition	Full HD
Contrast Ratio	16,000
Light Source	Lamp
Keystone Correction	Manual vertical: 30, Manual horizontal: 30
Colour Video Processing	10 Bits Color
Colour Reproduction	Upto 1.07 billion colours

### OPTICAL

Throw Ratio	1.32 - 2.14:1
Zoom	Digital, Factor: 1 - 1.6
Lens	Optical
Screen Size	30 in - 300 in
Projection Lens F Number	1.99
Projection Lens Focal Length	29.2 mm
Projection Lens Focus	Manual
Offset	10 : 1

### CONNECTIVITY

Interfaces	USB 2.0-A (1 x), Ethernet interface (100 Base-TX / 10 Base-T) (1 x), Miracast (1 x), VGA in (2 x), RS-232C (1 x), Jack plug in (2 x), Composite in (1 x), Jack plug out (1 x), Microphone input (1 x), VGA out (1 x), USB 2.0 (1 x), Cinch audio in (1 x), Wireless LAN IEEE 802.11a/b/g/n/ac (1 x), HDMI in (2 x)
Epson iProjection App	Ad-Hoc / Infrastructure
Network Protocol	PJLink

### ADVANCED FEATURES

Security	Kensington lock, Security cable hole, Wireless LAN security, Password protection, Control panel lock
Other Features	AV Mute Slide, Automatic keystone correction, Built-in speaker, Direct Power on/off, Document Camera Compatible, Easy OSD pre-setting, Horizontal and vertical keystone correction, Network projection, OSD copy function, PC Free, Quick Corner, Split-Screen-Function, Wireless LAN capable, iProjection set-up by QR code, CEC compatible
Video Colour Modes	Blackboard, Cinema, Dynamic, Presentation, sRGB
Projector Control	AMX, Crestron, Control4, Extron

## PRODUCT SPECIFICATIONS

GENERAL	
Power consumption	286 W, 327 W (economy), 180 W (standby)
Product dimensions	309 mm x 282 mm x 90 mm (Width x Depth x Height)
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Included Software	EasyMP Multi PC Projection, Epson Projector Management
Noise Level	Normal: 37 dB (A) - Economy: 28 dB (A)
Supported Temperature	Storage -10 °C - 60 °C
Supported Humidity	Operation 20 % - 80 %, Storage 10 % - 90 %
Options	Wireless transmitter - ELPWT01
Loudspeaker	16 W
Room Type / Application	Huddle space / Portable, Meeting room / Classroom
Positioning	Ceiling Mounted, Desktop
Colour	White

### OTHER

## Epson EB-992F

### WHAT'S IN THE BOX

- Main unit
- Power cable
- Remote control incl. batteries
- Warranty document
- HDMI Cable
- Quick Start Guide
- User Manual (CD-ROM)

### OPTIONAL ACCESSORIES

- Air Filter - ELPAF54  
V13H134A54
- Ceiling Mount - ELPMB23 - White  
V12H003B23
- Ceiling pipe - ELPPFP13 - 668-918mm  
V12H003P13
- Ceiling pipe - ELPPFP14 - 918-1168mm  
V12H003P14
- External Speaker - ELPSP02  
V12H467040
- External Speaker - ELPSP02 - [240v]  
V12H467040DA
- Lamp – ELPLP97 – EB9XX/W49/X/E20/U50/  
EB-x05/x41/x42/EH-TW6  
V13H010L97
- Safety Wire - ELPWR01  
V12H003W01
- Soft Carry Case - ELPKS70  
V12H001K70
- Wireless LAN Adapter - ELPAP11 (2.4GHz &  
5GHz)  
V12H005A01