

# Epson EB-685W

## EB-685W

**Profesyonel ortamlar için ideal. İş ve eğitim kullanımı için çok yönlü 3LCD projektör.**

Epson'ın 3LCD teknolojisi, eşit beyaz ve renkli ışık çıkışı ile canlı renkler ve parlak görüntüler sağlar; gün ışığında bile öne çıkan rakip projektörlere göre üç kat daha parlak renkler sunar<sup>1</sup>. Geliştirilmiş güvenilirlik ve Eco modda 10.000 saate kadar uzayan lamba ömrü ile daha uzun süre yansıtın. Bölünmüş ekran işlevselliği, kaliteden ödün vermeden iki tür içeriğin aynı anda görüntülenmesine olanak tanır. Ultra kısa mesafe tasarımı, gölge ve göz kamaşmasını ortadan kaldırır; kompakt sınıflar ve toplantı odaları için idealdir.

## KEY FEATURES

- **100 inç kadar ekran ve olağanüstü kalite**

Epson 3LCD teknolojisi ile HD ready WXGA çözünürlük

- **Güvenilir**

Geliştirilmiş güvenilirlik ve daha uzun lamba ömrü

- **Kablosuz bağlantı (opsiyonel)**

İçeriklerin bir dizi cihazdan gösterilmesine olanak tanır

- **Uzun lamba ömrü**

Eco modda 10.000 saate kadar

- **Ультракороткофокусна проекція**

Для забезпечення максимальної гнучкості під час встановлення

## PRODUCT SPECIFICATIONS

Epson EB-685W

### TECHNOLOGY

Projection System	3LCD Technology
LCD Panel	0.59 inches with D9

### IMAGE

Color Light Output	3500 Lumens - 2900 Lumens (economy)
White Light Output	3500 Lumens - 2900 Lumens (economy)
Resolution	WXGA 2
High Definition	HD ready
Contrast Ratio	14,000
Light Source	Lamp
Keystone Correction	Manual vertical: 3, Manual horizontal: 3
Colour Video Processing	10 Bits Color
Colour Reproduction	Upto 1.07 billion colours

### OPTICAL

Throw Ratio	0.28 - 0.37:1
Zoom	Digital, Factor: 1 - 1.35
Lens	Optical
Screen Size	60 in - 100 in
Projection Distance Wide	0.4 m ( 60 inch screen )
Projection Distance Tele	0.6 m ( 100 )
Projection Lens F Number	1.6
Projection Lens Focal Length	3.7 mm
Projection Lens Focus	Manual
Offset	6 : 1

### CONNECTIVITY

Interfaces	RS-232C (1 x), Microphone input (1 x), MHL (1 x), RGB in (2 x), Composite in (1 x), HDMI in (3 x), VGA in (2 x), USB 2.-A (1 x), USB 2. (1 x), Ethernet interface (1 Base-TX / 1 Base-T) (1 x), Jack plug in (3 x), Wireless LAN IEEE 802.11b/g/n (Optional), VGA out (1 x), RGB out (1 x), Jack plug out (1 x)
Epson iProjection App	Ad-Hoc / Infrastructure

### ADVANCED FEATURES

Security	Kensington lock, Wireless LAN unit lock, Wireless LAN security, Password protection, Security cable hole, Password lock
Other Features	Auto brightness adjustment, Automatic input selection, Built-in speaker, Customizable user logo, Digital zoom, Direct Power on/off, Document Camera Compatible, Dynamic lamp control, Easy OSD pre-setting, Wireless LAN capable, CEC compatible, Home Screen, Long lamp life, Split-Screen-Function
Video Colour Modes	Blackboard, Dynamic, Presentation, Sports, sRGB, Theatre, Whiteboard
Projector Control	AMX, Crestron, Control4

**EPSON**<sup>®</sup>

## PRODUCT SPECIFICATIONS

GENERAL	
Power consumption	301 W, 354 W (economy), 258 W (standby)
Product dimensions	367 mm x 400 mm x 149 mm (Width x Depth x Height)
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Compatible Operating Systems	Ubuntu 16.04 LTS
Included Software	EasyMP Multi PC Projection, Epson Projector Management
Noise Level	Normal: 35 dB (A) - Economy: 30 dB (A)
Supported Temperature	Storage -10 °C - 60 °C
Supported Humidity	Operation 20 % - 80 %, Storage 10 % - 90 %
Options	Connection and control box, Document camera, USB extension cable, Wireless LAN unit, Air filter ELPAF38, External Speaker
Loudspeaker	16 W
Room Type / Application	Meeting room / Classroom
Positioning	Wall Mounted
Colour	White / Grey

### OTHER

## Epson EB-685W

### WHAT'S IN THE BOX

- Power cable
- Remote control incl. batteries
- Quick Start Guide
- Wall hanging bracket
- Main unit
- Safety wire set
- Template Sheet
- Projector feet
- Installation/safety manual

### OPTIONAL ACCESSORIES

- Air Filter - ELPAF49 - EB-67x/68x/69x V13H134A49
- Control and Connection Box - ELPCB03 V12H927040
- Control and Connection Box - ELPCB03 [240v]
- Control and Connection Box - ELPCB03N V12HB11040
- External Speaker - ELPSP02 V12H467040
- External Speaker - ELPSP02 - [240v]
- Lamp - ELPLP91 - EB-68x/69x (250W) V13H010L91
- Safety Wire - ELPWR01 V12H003W01
- Table mount for ultra-short-throw series ELPMB29 V12H516040
- Wireless LAN Adapter - ELPAP10 (2.4GHz) V12H731P01