

# EB-L1755U




## EB-L1755U

**Лазерний 3LCD проектор з надзвичайно яскравим світловим потоком на 15 000 люмен та роздільною здатністю WUXGA, що забезпечує відмінну надійність за принципом «встановив і забув» та технологію підвищення роздільної здатності до 4K.**

**Чіткі, мов лазер, зображення** Ваші презентації, зображення та відео гарантовано створять враження завдяки цьому лазерному 3LCD проектору з живими кольорами та високим рівнем чіткості. Розроблений для великих приміщень, цей проектор створює живі та яскраві зображення з роздільною здатністю WUXGA навіть при денному світлі, тоді як технологія неорганічного люмінофорного диска забезпечує неперевершену стійкість до світла та тепла, забезпечуючи відмінну надійність строком до 83 000 годин<sup>1</sup>. **Підвищення роздільної здатності до 4K** Представляючи якісно новий рівень перегляду контенту, даний проектор використовує оригінальну технологію підвищення роздільної здатності до 4K, що надає зображенням виняткову чіткість, а тексту – читабельність. **Гнучке позионування** Завдяки широкій лінійці моторизованих об'єктивів, у тому числі об'єктиву з надкороткою проекційною відстанню (UST), проектор має неперевершену гнучкість та універсальність встановлення, що дозволяє розмістити його практично в будь-якому місці без втрати яскравості або викривлення зображення. Проектор також має вбудовану камеру для забезпечення точного калібрування та захоплення діагностичних зображень (функцію можна повністю вимкнути, щоб запобігти віддаленому доступу). **Нове універсальне програмне забезпечення** Всі моделі серії EB-L1000 можуть скористатися перевагами безкоштовного програмного забезпечення Epson Professional Projector Tool з грудня 2017 року. Воно дозволяє налаштовувати багатопроєкторні установки прямо з коробки, просто і швидко, а також використовуючи передові технології, такі як проекційне накладання та суміщення проекторів.

## DATASHEET / BROCHURE



## KEY FEATURES

- **Технологія лазерного джерела світла**  
Дивовижні яскравість і колір!  
А надійність – така, що можна «встановити і забути»!
- **HD-зображення з покращенням чіткості до 4K**  
Виняткова контрастність, точність і деталізація для відображення чітких зображень та читабельного тексту.
- **Нове універсальне програмне забезпечення**  
Налаштовуйте декілька проекторів і використовуйте передові проекційні технології
- **Гнучкість встановлення в будь-якому положенні**  
Справжня гнучкість без викривлень зображення або втрати яскравості
- **Забезпечення спокою і впевненості**  
Продукт поставляється з гарантією на 5 років (або 20 000 годин).

## PRODUCT SPECIFICATIONS

EB-L1755U

### TECHNOLOGY

Projection System	3LCD Technology
LCD Panel	1.03 inches with C2 Fine

### IMAGE

Color Light Output	15000 Lumens - 10500 Lumens (economy)
White Light Output	15000 Lumens - 10500 Lumens (economy)
Resolution	WUXGA
High Definition	4K enhancement
Contrast Ratio	2,500,000
Light Source	Laser
Laser Light source	20000 hr Durability High, 30000 hr Durability Eco
Keystone Correction	Manual vertical: 30, Manual horizontal: 45
Colour Reproduction	Upto 1.07 billion colours

### OPTICAL

Throw Ratio	1.57 - 2.56:1
Zoom	Digital, Factor: 1 - 1.6
Lens	Optical
Screen Size	60 in - 500 in
Projection Lens F Number	2.5
Projection Lens Focal Length	57.35 mm
Projection Lens Focus	Motorized

### CONNECTIVITY

Interfaces	Jack plug in (3 x), RS-232C (1 x), USB 2. Type B (Service Only) (1 x), HDBaseT (1 x), VGA in (1 x), HDMI in (1 x), VGA out (1 x), Ethernet interface (1 Base-TX / 1 Base-T) (1 x), Jack plug out (1 x), Wireless LAN b/g/g 25GHz (Optional), DVI in (1 x), BNC in (1 x), HD-SDI (1 x)
Epson iProjection App	Ad-Hoc / Infrastructure

### ADVANCED FEATURES

Security	Password protection, Wireless LAN security, Wireless LAN unit lock, Security bar, Kensington lock
Other Features	Lens position memory, Frame interpolation, Customizable user logo, Auto Calibration, Absolute Black, 4K enhancement, Integrated camera for image calibration & image capture
Video Colour Modes	Multi Projection, DICOM SIM, Presentation, Dynamic, Cinema, BT79
Projector Control	Crestron, AMX, Extron

## PRODUCT SPECIFICATIONS

GENERAL	
Product dimensions	586 mm x 492 mm x 211 mm (Width x Depth x Height)
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz
Included Software	EasyMP Multi PC Projection, EasyMP Monitor
Noise Level	Normal: 40 dB (A) - Economy: 32 dB (A)
Supported Temperature	Storage -10 °C - 60 °C
Supported Humidity	Operation 20 % - 80 %, Storage 10 % - 90 %
Options	Wireless LAN unit, Quick wireless USB key, HDBaseT Transmitter
Room Type / Application	Boardroom, Large Meeting Room / Auditorium, Projection Mapping, Rental / Staging, Signage / Retail, Visitor Attraction
Positioning	Ceiling Mounted, Flying Frame
Colour	Black

### OTHER

EB-L1755U

## WHAT'S IN THE BOX

- Remote control incl. batteries
- Quick Start Guide
- Power and signal cable (3 m)
- Computer cable
- Cable cover
- CD Manual

## OPTIONAL ACCESSORIES

- Air Filter - ELPAF51 - EB-L1000 series  
V13H134A51
- Ceiling Mount - ELPMB68  
V12H006AE0
- Extension Pole - ELPMB70 - For ELPMB68  
V12H006AG0
- Lens - ELPLL08 - Long throw - EB-PU Series  
V12H004L08
- Lens - ELPLM10 - Mid throw 3 - EB-PU Series  
V12H004M0A
- Lens - ELPLM11 - Mid throw 4 - EB-PU Series  
V12H004M0B
- Lens - ELPLM15 - Mid throw - EB-PU Series  
V12H004M0F
- Lens - ELPLU03S - Short throw off axis 1 - EB-PU Series  
V12H004UA3
- Lens - ELPLU04 - Short throw off axis 2 - EB-PU Series  
V12H004U04
- Lens - ELPLW05 - Wide zoom 1 - EB-PU Series  
V12H004W05